

APOLLO**GAMMA INDOOR SIGN****APOLLO 1050-7XB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
ONE LINE				9.25" (23cm) Character Height		
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1050 - 64 - 7XB - 4RL	64	7	92 x 18 x 8	233 x 45.7 x 20	10	108 W
A1050 - 72 - 7XB - 4RL	72	7	102 x 18 x 8	260 x 45.7 x 20	12	121 W
A1050 - 80 - 7XB - 4RL	80	7	113 x 18 x 8	286 x 45.7 x 20	13	134 W
A1050 - 88 - 7XB - 4RL	88	7	123 x 18 x 8	313 x 45.7 x 20	15	148 W
A1050 - 96 - 7XB - 4RL	96	7	134 x 18 x 8	340 x 45.7 x 20	16	161 W
A1050 - 104 - 7XB - 4RL	104	7	144 x 18 x 8	366 x 45.7 x 20	17	175 W
A1050 - 112 - 7XB - 4RL	112	7	155 x 18 x 8	393 x 45.7 x 20	19	188 W
A1050 - 120 - 7XB - 4RL	120	7	165 x 18 x 8	420 x 45.7 x 20	20	202 W
A1050 - 128 - 7XB - 4RL	128	7	176 x 18 x 8	446 x 45.7 x 20	21	215 W
A1050 - 136 - 7XB - 4RL	136	7	186 x 18 x 8	473 x 45.7 x 20	23	228 W
A1050 - 144 - 7XB - 4RL	144	7	197 x 18 x 8	499 x 45.7 x 20	24	242 W
A1050 - 160 - 7XB - 4RL	160	7	218 x 18 x 8	553 x 45.7 x 20	27	269 W
A1050 - 168 - 7XB - 4RL	168	7	228 x 18 x 8	579 x 45.7 x 20	28	282 W
A1050 - 176 - 7XB - 4RL	176	7	239 x 18 x 8	606 x 45.7 x 20	29	296 W
A1050 - 184 - 7XB - 4RL	184	7	249 x 18 x 8	633 x 45.7 x 20	31	309 W
A1050 - 196 - 7XB - 4RL	196	7	260 x 18 x 8	659 x 45.7 x 20	32	323 W
A1050 - 200 - 7XB - 4RL	200	7	270 x 18 x 8	686 x 45.7 x 20	33	336 W
A1050 - 208 - 7XB - 4RL	208	7	280 x 18 x 8	712 x 45.7 x 20	35	349 W
A1050 - 216 - 7XB - 4RL	216	7	291 x 18 x 8	739 x 45.7 x 20	36	363 W
A1050 - 224 - 7XB - 4RL	224	7	301 x 18 x 8	766 x 45.7 x 20	37	376 W
A1050 - 232 - 7XB - 4RL	232	7	312 x 18 x 8	792 x 45.7 x 20	39	390 W
A1050 - 240 - 7XB - 4RL	240	7	322 x 18 x 8	819 x 45.7 x 20	40	403 W
A1050 - 248 - 7XB - 4RL	248	7	333 x 18 x 8	846 x 45.7 x 20	41	417 W
A1050 - 256 - 7XB - 4RL	256	7	343 x 18 x 8	872 x 45.7 x 20	43	430 W

Pitch: 1.31" 3.33cm**Number of LED Per Pixel: 4 LED****APOLLO 1050R
LED TILE****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED (5,8,9,13 Available)

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO

GAMMA INDOOR SIGN

APOLLO 1050-16XB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS			SINGLE COLOR ●											
TWO LINES		9.25" (23cm) - 21" (53cm) Character Height												
MODEL #	COLUNS	ROWS	SIZE (Inch)			SIZE (Cm)			# OF CHARACT. PER LINE	POWER CONSUMP.				
			L	H	x D	L	H	x D						
A1050 - 64 - 16XB - 4RL	64	16	92	x	28.5	x	8	233	x	72.3	x	20	10	246 W
A1050 - 72 - 16XB - 4RL	72	16	102	x	28.5	x	8	260	x	72.3	x	20	12	276 W
A1050 - 80 - 16XB - 4RL	80	16	113	x	28.5	x	8	286	x	72.3	x	20	13	307 W
A1050 - 88 - 16XB - 4RL	88	16	123	x	28.5	x	8	313	x	75.3	x	20	15	338 W
A1050 - 96 - 16XB - 4RL	96	16	134	x	28.5	x	8	340	x	75.3	x	20	16	369 W
A1050 - 104 -16XB - 4RL	104	16	144	x	28.5	x	8	366	x	75.3	x	20	17	399 W
A1050 - 112 -16XB - 4RL	112	16	155	x	28.5	x	8	393	x	75.3	x	20	19	430 W
A1050 - 120 -16XB - 4RL	120	16	165	x	28.5	x	8	420	x	75.3	x	20	20	461 W
A1050 - 128 -16XB - 4RL	128	16	176	x	28.5	x	8	446	x	75.3	x	20	21	492 W
A1050 - 136 -16XB - 4RL	136	16	186	x	28.5	x	8	473	x	75.3	x	20	23	522 W
A1050 - 144 -16XB - 4RL	144	16	197	x	28.5	x	8	499	x	75.3	x	20	24	553 W
A1050 - 160 -16XB - 4RL	160	16	218	x	28.5	x	8	553	x	75.3	x	20	27	614 W
A1050 - 168 -16XB - 4RL	168	16	228	x	28.5	x	8	579	x	75.3	x	20	28	645 W
A1050 - 176 -16XB - 4RL	176	16	239	x	28.5	x	8	606	x	75.3	x	20	29	676 W
A1050 - 184 -16XB - 4RL	184	16	249	x	28.5	x	8	633	x	75.3	x	20	31	707 W
A1050 - 196 -16XB - 4RL	196	16	260	x	28.5	x	8	659	x	75.3	x	20	32	737 W
A1050 - 200 -16XB - 4RL	200	16	270	x	28.5	x	8	686	x	75.3	x	20	33	768 W
A1050 - 208 -16XB - 4RL	208	16	280	x	28.5	x	8	712	x	75.3	x	20	35	799 W
A1050 - 216 -16XB - 4RL	216	16	291	x	28.5	x	8	739	x	75.3	x	20	36	829 W
A1050 - 224 -16XB - 4RL	224	16	301	x	28.5	x	8	766	x	75.3	x	20	37	860 W
A1050 - 232 -16XB - 4RL	232	16	312	x	28.5	x	8	792	x	75.3	x	20	39	891 W
A1050 - 240 -16XB - 4RL	240	16	322	x	28.5	x	8	819	x	75.3	x	20	40	922 W
A1050 - 248 -16XB - 4RL	248	16	333	x	28.5	x	8	846	x	75.3	x	20	41	952 W
A1050 - 256 -16XB - 4RL	256	16	343	x	28.5	x	8	872	x	75.3	x	20	43	983 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



APOLLO 1050R LED TILE

LED Type:

Gamma accepts only the highest quality LED in the industry

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1050-24XB-4RL****4 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****THREE LINES****9.25" (23cm) - 31.5" (79.85cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1050 - 64 - 24XB - 4RL	64	24	92 x 39 x 8	233 x 99 x 20	10	369 W
A1050 - 72 - 24XB - 4RL	72	24	102 x 39 x 8	260 x 99 x 20	12	415 W
A1050 - 80 - 24XB - 4RL	80	24	113 x 39 x 8	286 x 99 x 20	13	461 W
A1050 - 88 - 24XB - 4RL	88	24	123 x 39 x 8	313 x 99 x 20	15	507 W
A1050 - 96 - 24XB - 4RL	96	24	134 x 39 x 8	340 x 99 x 20	16	553 W
A1050 - 104 - 24XB - 4RL	104	24	144 x 39 x 8	366 x 99 x 20	17	599 W
A1050 - 112 - 24XB - 4RL	112	24	155 x 39 x 8	393 x 99 x 20	19	645 W
A1050 - 120 - 24XB - 4RL	120	24	165 x 39 x 8	420 x 99 x 20	20	691 W
A1050 - 128 - 24XB - 4RL	128	24	176 x 39 x 8	446 x 99 x 20	21	737 W
A1050 - 136 - 24XB - 4RL	136	24	186 x 39 x 8	473 x 99 x 20	23	783 W
A1050 - 144 - 24XB - 4RL	144	24	197 x 39 x 8	499 x 99 x 20	24	829 W
A1050 - 160 - 24XB - 4RL	160	24	218 x 39 x 8	553 x 99 x 20	27	922 W
A1050 - 168 - 24XB - 4RL	168	24	228 x 39 x 8	579 x 99 x 20	28	968 W
A1050 - 176 - 24XB - 4RL	176	24	239 x 39 x 8	606 x 99 x 20	29	1014 W
A1050 - 184 - 24XB - 4RL	184	24	249 x 39 x 8	633 x 99 x 20	31	1060 W
A1050 - 196 - 24XB - 4RL	196	24	260 x 39 x 8	659 x 99 x 20	32	1106 W
A1050 - 200 - 24XB - 4RL	200	24	270 x 39 x 8	686 x 99 x 20	33	1152 W
A1050 - 208 - 24XB - 4RL	208	24	280 x 39 x 8	712 x 99 x 20	35	1198 W
A1050 - 216 - 24XB - 4RL	216	24	291 x 39 x 8	739 x 99 x 20	36	1244 W
A1050 - 224 - 24XB - 4RL	224	24	301 x 39 x 8	766 x 99 x 20	37	1290 W
A1050 - 232 - 24XB - 4RL	232	24	312 x 39 x 8	792 x 99 x 20	39	1336 W
A1050 - 240 - 24XB - 4RL	240	24	322 x 39 x 8	819 x 99 x 20	40	1382 W
A1050 - 248 - 24XB - 4RL	248	24	333 x 39 x 8	846 x 99 x 20	41	1428 W
	256	24	343 x 39 x 8	872 x 99 x 20	43	1475 W

Pitch: 1.31" 3.33cm**Number of LED Per Pixel: 4 LED****APOLLO 1050R
LED TILE****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1050-32XB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR ●			
FOUR LINES		9.25" (23cm) - 42" (107cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1050 - 64 - 32XB - 4RL	64	32	92 x 49.5 x 8	233 x 125.5 x 20	10	492 W
A1050 - 72 - 32XB - 4RL	72	32	102 x 49.5 x 8	260 x 125.5 x 20	12	553 W
A1050 - 80 - 32XB - 4RL	80	32	113 x 49.5 x 8	286 x 125.5 x 20	13	614 W
A1050 - 88 - 32XB - 4RL	88	32	123 x 49.5 x 8	313 x 125.5 x 20	15	676 W
A1050 - 96 - 32XB - 4RL	96	32	134 x 49.5 x 8	340 x 125.5 x 20	16	737 W
A1050 - 104 - 32XB - 4RL	104	32	144 x 49.5 x 8	366 x 125.5 x 20	17	799 W
A1050 - 112 - 32XB - 4RL	112	32	155 x 49.5 x 8	393 x 125.5 x 20	19	860 W
A1050 - 120 - 32XB - 4RL	120	32	165 x 49.5 x 8	420 x 125.5 x 20	20	922 W
A1050 - 128 - 32XB - 4RL	128	32	176 x 49.5 x 8	446 x 125.5 x 20	21	983 W
A1050 - 136 - 32XB - 4RL	136	32	186 x 49.5 x 8	473 x 125.5 x 20	23	1044 W
A1050 - 144 - 32XB - 4RL	144	32	197 x 49.5 x 8	499 x 125.5 x 20	24	1106 W
A1050 - 160 - 32XB - 4RL	160	32	218 x 49.5 x 8	553 x 125.5 x 20	27	1229 W
A1050 - 168 - 32XB - 4RL	168	32	228 x 49.5 x 8	579 x 125.5 x 20	28	1290 W
A1050 - 176 - 32XB - 4RL	176	32	239 x 49.5 x 8	606 x 125.5 x 20	29	1352 W
A1050 - 184 - 32XB - 4RL	184	32	249 x 49.5 x 8	633 x 125.5 x 20	31	1413 W
A1050 - 196 - 32XB - 4RL	196	32	260 x 49.5 x 8	659 x 125.5 x 20	32	1475 W
A1050 - 200 - 32XB - 4RL	200	32	270 x 49.5 x 8	686 x 125.5 x 20	33	1536 W
A1050 - 208 - 32XB - 4RL	208	32	280 x 49.5 x 8	712 x 125.5 x 20	35	1597 W
A1050 - 216 - 32XB - 4RL	216	32	291 x 49.5 x 8	739 x 125.5 x 20	36	1659 W
A1050 - 224 - 32XB - 4RL	224	32	301 x 49.5 x 8	766 x 125.5 x 20	37	1720 W
A1050 - 232 - 32XB - 4RL	232	32	312 x 49.5 x 8	792 x 125.5 x 20	39	1782 W
A1050 - 240 - 32XB - 4RL	240	32	322 x 49.5 x 8	819 x 125.5 x 20	40	1843 W
A1050 - 248 - 32XB - 4RL	248	32	333 x 49.5 x 8	846 x 125.5 x 20	41	1905 W
	256	32	343 x 49.5 x 8	872 x 125.5 x 20	43	1966 W

Pitch: 1.31" 3.33cm**Number of LED Per Pixel: 4 LED****APOLLO 1050R
LED TILE****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (18.29cm. x 18.29cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED

Signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1050-40XB-4RL****4 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****FIVE LINES****9.25" (23cm) - 52.5" (133cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1050 - 64 - 40XB - 4RL	64	40	92 x 60 x 8	233 x 152.2 x 20	10	614 W
A1050 - 72 - 40XB - 4RL	72	40	102 x 60 x 8	260 x 152.2 x 20	12	691 W
A1050 - 80 - 40XB - 4RL	80	40	113 x 60 x 8	286 x 152.2 x 20	13	768 W
A1050 - 88 - 40XB - 4RL	88	40	123 x 60 x 8	313 x 152.2 x 20	15	845 W
A1050 - 96 - 40XB - 4RL	96	40	134 x 60 x 8	340 x 152.2 x 20	16	922 W
A1050 - 104 - 40XB - 4RL	104	40	144 x 60 x 8	366 x 152.2 x 20	17	998 W
A1050 - 112 - 40XB - 4RL	112	40	155 x 60 x 8	393 x 152.2 x 20	19	1075 W
A1050 - 120 - 40XB - 4RL	120	40	165 x 60 x 8	420 x 152.2 x 20	20	1152 W
A1050 - 128 - 40XB - 4RL	128	40	176 x 60 x 8	446 x 152.2 x 20	21	1229 W
A1050 - 136 - 40XB - 4RL	136	40	186 x 60 x 8	473 x 152.2 x 20	23	1306 W
A1050 - 144 - 40XB - 4RL	144	40	197 x 60 x 8	499 x 152.2 x 20	24	1382 W
A1050 - 160 - 40XB - 4RL	160	40	218 x 60 x 8	553 x 152.2 x 20	27	1536 W
A1050 - 168 - 40XB - 4RL	168	40	228 x 60 x 8	579 x 152.2 x 20	28	1613 W
A1050 - 176 - 40XB - 4RL	176	40	239 x 60 x 8	606 x 152.2 x 20	29	1690 W
A1050 - 184 - 40XB - 4RL	184	40	249 x 60 x 8	633 x 152.2 x 20	31	1766 W
A1050 - 196 - 40XB - 4RL	196	40	260 x 60 x 8	659 x 152.2 x 20	32	1843 W
A1050 - 200 - 40XB - 4RL	200	40	270 x 60 x 8	686 x 152.2 x 20	33	1920 W
A1050 - 208 - 40XB - 4RL	208	40	280 x 60 x 8	712 x 152.2 x 20	35	1997 W
A1050 - 216 - 40XB - 4RL	216	40	291 x 60 x 8	739 x 152.2 x 20	36	2074 W
A1050 - 224 - 40XB - 4RL	224	40	301 x 60 x 8	766 x 152.2 x 20	37	2150 W
A1050 - 232 - 40XB - 4RL	232	40	312 x 60 x 8	792 x 152.2 x 20	39	2227 W
A1050 - 240 - 40XB - 4RL	240	40	322 x 60 x 8	819 x 152.2 x 20	40	2304 W
A1050 - 248 - 40XB - 4RL	248	40	333 x 60 x 8	846 x 152.2 x 20	41	2381 W
	256	40	343 x 60 x 8	872 x 152.2 x 20	43	2458 W

Pitch: 1.31" 3.33cm**Number of LED Per Pixel: 4 LED****APOLLO 1050R
LED TILE****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1050-48XB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR ●			
SIX LINES		9.25" (23cm) - 63" (160cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1050 - 64 - 48XB - 4RL	64	48	92 x 70.4 x 8	233 x 178.8 x 20	10	737 W
A1050 - 72 - 48XB - 4RL	72	48	102 x 70.4 x 8	260 x 178.8 x 20	12	829 W
A1050 - 80 - 48XB - 4RL	80	48	113 x 70.4 x 8	286 x 178.8 x 20	13	922 W
A1050 - 88 - 48XB - 4RL	88	48	123 x 70.4 x 8	313 x 178.8 x 20	15	1014 W
A1050 - 96 - 48XB - 4RL	96	48	134 x 70.4 x 8	340 x 178.8 x 20	16	1106 W
A1050 - 104 - 48XB - 4RL	104	48	144 x 70.4 x 8	366 x 178.8 x 20	17	1198 W
A1050 - 112 - 48XB - 4RL	112	48	155 x 70.4 x 8	393 x 178.8 x 20	19	1290 W
A1050 - 120 - 48XB - 4RL	120	48	165 x 70.4 x 8	420 x 178.8 x 20	20	1382 W
A1050 - 128 - 48XB - 4RL	128	48	176 x 70.4 x 8	446 x 178.8 x 20	21	1475 W
A1050 - 136 - 48XB - 4RL	136	48	186 x 70.4 x 8	473 x 178.8 x 20	23	1567 W
A1050 - 144 - 48XB - 4RL	144	48	197 x 70.4 x 8	499 x 178.8 x 20	24	1659 W
A1050 - 160 - 48XB - 4RL	160	48	218 x 70.4 x 8	553 x 178.8 x 20	27	1843 W
A1050 - 168 - 48XB - 4RL	168	48	228 x 70.4 x 8	579 x 178.8 x 20	28	1935 W
A1050 - 176 - 48XB - 4RL	176	48	239 x 70.4 x 8	606 x 178.8 x 20	29	2028 W
A1050 - 184 - 48XB - 4RL	184	48	249 x 70.4 x 8	633 x 178.8 x 20	31	2120 W
A1050 - 196 - 48XB - 4RL	196	48	260 x 70.4 x 8	659 x 178.8 x 20	32	2212 W
A1050 - 200 - 48XB - 4RL	200	48	270 x 70.4 x 8	686 x 178.8 x 20	33	2304 W
A1050 - 208 - 48XB - 4RL	208	48	280 x 70.4 x 8	712 x 178.8 x 20	35	2396 W
A1050 - 216 - 48XB - 4RL	216	48	291 x 70.4 x 8	739 x 178.8 x 20	36	2488 W
A1050 - 224 - 48XB - 4RL	224	48	301 x 70.4 x 8	766 x 178.8 x 20	37	2580 W
A1050 - 232 - 48XB - 4RL	232	48	312 x 70.4 x 8	792 x 178.8 x 20	39	2673 W
A1050 - 240 - 48XB - 4RL	240	48	322 x 70.4 x 8	819 x 178.8 x 20	40	2765 W
A1050 - 248 - 48XB - 4RL	248	48	333 x 70.4 x 8	846 x 178.8 x 20	41	2857 W
A1050 - 256 - 48XB - 4RL	256	48	343 x 70.4 x 8	872 x 178.8 x 20	43	2949 W

Pitch: 1.31" 3.33cm**Number of LED Per Pixel: 4 LED****APOLLO 1050R
LED TILE****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**