

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-7XB-7RL****7 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
ONE LINE				12" (30.5cm) Character Height		
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1200 - 64 - 7XB - 7RL	64	7	117 x 21.2 x 8	298 x 53.8 x 20	10	188 W
A1200 - 72 - 7XB - 7RL	72	7	131 x 21.2 x 8	333 x 53.8 x 20	12	212 W
A1200 - 80 - 7XB - 7RL	80	7	145 x 21.2 x 8	368 x 53.8 x 20	13	235 W
A1200 - 88 - 7XB - 7RL	88	7	158 x 21.2 x 8	402 x 53.8 x 20	15	259 W
A1200 - 96 - 7XB - 7RL	96	7	172 x 21.2 x 8	437 x 53.8 x 20	16	282 W
A1200- 104 - 7XB - 7RL	104	7	186 x 21.2 x 8	472 x 53.8 x 20	17	306 W
A1200 - 112 - 7XB - 7RL	112	7	200 x 21.2 x 8	506 x 53.8 x 20	19	329 W
A1200 - 120 - 7XB - 7RL	120	7	213 x 21.2 x 8	541 x 53.8 x 20	20	353 W
A1200 - 128 - 7XB - 7RL	128	7	227 x 21.2 x 8	576 x 53.8 x 20	21	376 W
A1200 - 136 - 7XB - 7RL	136	7	241 x 21.2 x 8	611 x 53.8 x 20	23	400 W
A1200 - 144 - 7XB - 7RL	144	7	254 x 21.2 x 8	646 x 53.8 x 20	24	423 W
A1200 - 160 - 7XB - 7RL	160	7	282 x 21.2 x 8	715 x 53.8 x 20	27	470 W
A1200 - 168 - 7XB - 7RL	168	7	295 x 21.2 x 8	750 x 53.8 x 20	28	494 W
A1200 - 176 - 7XB - 7RL	176	7	309 x 21.2 x 8	785 x 53.8 x 20	29	517 W
A1200 - 184 - 7XB - 7RL	184	7	323 x 21.2 x 8	819 x 53.8 x 20	31	541 W
A1200 - 192 - 7XB - 7RL	196	7	336 x 21.2 x 8	854 x 53.8 x 20	32	564 W
A1200 - 200 - 7XB - 7RL	200	7	350 x 21.2 x 8	889 x 53.8 x 20	33	588 W
A1200 - 208 - 7XB - 7RL	208	7	364 x 21.2 x 8	923 x 53.8 x 20	35	612 W
A1200 - 216 - 7XB - 7RL	216	7	377 x 21.2 x 8	958 x 53.8 x 20	36	635 W
A1200 - 224 - 7XB - 7RL	224	7	391 x 21.2 x 8	993 x 53.8 x 20	37	659 W
A1200 - 232 - 7XB - 7RL	232	7	405 x 21.2 x 8	1028 x 53.8 x 20	39	682 W
A1200 - 240 - 7XB - 7RL	240	7	418 x 21.2 x 8	1063 x 53.8 x 20	40	706 W
A1200 - 248 - 7XB - 7RL	248	7	432 x 21.2 x 8	1097 x 53.8 x 20	41	729 W
A1200 - 256 - 7XB - 7RL	256	7	446 x 21.2 x 8	1132 x 53.8 x 20	43	753 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-16XB-7RL****7 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR ●											
TWO LINES			12" (30.5cm) - 27.5" (70cm) Character Height											
MODEL #	COLUNS	ROWS	SIZE (Inch)			SIZE (Cm)			# OF CHARACT. PER LINE	POWER CONSUMP.				
			L	H	D	L	H	D						
A1200 - 64 - 16XB - 7RL	64	16	117	x	34.9	x	8	298	x	88.6	x	20	10	430 W
A1200 - 72 - 16XB - 7RL	72	16	131	x	34.9	x	8	333	x	88.6	x	20	12	484 W
A1200 - 80 - 16XB - 7RL	80	16	145	x	34.9	x	8	368	x	88.6	x	20	13	538 W
A1200 - 88 - 16XB - 7RL	88	16	158	x	34.9	x	8	402	x	88.6	x	20	15	591 W
A1200 - 96 - 16XB - 7RL	96	16	172	x	34.9	x	8	437	x	88.6	x	20	16	645 W
A1200 -104 - 16XB -7RL	104	16	186	x	34.9	x	8	472	x	88.6	x	20	17	699 W
A1200 -112 - 16XB -7RL	112	16	200	x	34.9	x	8	507	x	88.6	x	20	19	753 W
A1200 -120 - 16XB -7RL	120	16	213	x	34.9	x	8	541	x	88.6	x	20	20	806 W
A1200 -128 - 16XB -7RL	128	16	227	x	34.9	x	8	576	x	88.6	x	20	21	860 W
A1200 -136 - 16XB -7RL	136	16	241	x	34.9	x	8	611	x	88.6	x	20	23	914 W
A1200 -144 - 16XB -7RL	144	16	254	x	34.9	x	8	646	x	88.6	x	20	24	968 W
A1200 -160 - 16XB -7RL	160	16	282	x	34.9	x	8	715	x	88.6	x	20	27	1075 W
A1200 -168 - 16XB -7RL	168	16	295	x	34.9	x	8	750	x	88.6	x	20	28	1129 W
A1200 -176 - 16XB -7RL	176	16	309	x	34.9	x	8	785	x	88.6	x	20	29	1183 W
A1200 -184 - 16XB -7RL	184	16	323	x	34.9	x	8	819	x	88.6	x	20	31	1236 W
A1200 -192 - 16XB -7RL	196	16	336	x	34.9	x	8	854	x	88.6	x	20	32	1290 W
A1200 -200 - 16XB -7RL	200	16	350	x	34.9	x	8	889	x	88.6	x	20	33	1344 W
A1200 -208 - 16XB -7RL	208	16	364	x	34.9	x	8	924	x	88.6	x	20	35	1398 W
A1200 -216 - 16XB -7RL	216	16	377	x	34.9	x	8	958	x	88.6	x	20	36	1452 W
A1200 -224 - 16XB -7RL	224	16	391	x	34.9	x	8	993	x	88.6	x	20	37	1505 W
A1200 -232 - 16XB -7RL	232	16	405	x	34.9	x	8	1028	x	88.6	x	20	39	1559 W
A1200 -240 - 16XB -7RL	240	16	418	x	34.9	x	8	1063	x	88.6	x	20	40	1613 W
A1200 -248 - 16XB -7RL	248	16	432	x	34.9	x	8	1097	x	88.6	x	20	41	1667 W
A1200 -256 - 16XB -7RL	256	16	446	x	34.9	x	8	1132	x	88.6	x	20	43	1720 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-24XB-7RL****7 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR ●											
THREE LINES			12" (30.5cm) - 41" (104cm) Character Height											
MODEL #	COLUNS	ROWS	SIZE (Inch)			SIZE (Cm)			# OF CHARACT. PER LINE	POWER CONSUMP.				
			L	H	D	L	H	D						
A1200 - 64 - 24XB - 7RL	64	24	117	x	48.5	x	8	298	x	123.3	x	20	10	645 W
A1200 - 72 - 24XB - 7RL	72	24	131	x	48.5	x	8	333	x	123.3	x	20	12	726 W
A1200 - 80 - 24XB - 7RL	80	24	145	x	48.5	x	8	368	x	123.3	x	20	13	806 W
A1200 - 88 - 24XB - 7RL	88	24	158	x	48.5	x	8	402	x	123.3	x	20	15	887 W
A1200 - 96 - 24XB - 7RL	96	24	172	x	48.5	x	8	437	x	123.3	x	20	16	968 W
A1200 - 104 - 24XB - 7RL	104	24	186	x	48.5	x	8	472	x	123.3	x	20	17	1048 W
A1200 - 112 - 24XB - 7RL	112	24	200	x	48.5	x	8	507	x	123.3	x	20	19	1129 W
A1200 - 120 - 24XB - 7RL	120	24	213	x	48.5	x	8	541	x	123.3	x	20	20	1210 W
A1200 - 128 - 24XB - 7RL	128	24	227	x	48.5	x	8	576	x	123.3	x	20	21	1290 W
A1200 - 136 - 24XB - 7RL	136	24	241	x	48.5	x	8	611	x	123.3	x	20	23	1371 W
A1200 - 144 - 24XB - 7RL	144	24	254	x	48.5	x	8	646	x	123.3	x	20	24	1452 W
A1200 - 160 - 24XB - 7RL	160	24	282	x	48.5	x	8	715	x	123.3	x	20	27	1613 W
A1200 - 168 - 24XB - 7RL	168	24	295	x	48.5	x	8	750	x	123.3	x	20	28	1693 W
A1200 - 176 - 24XB - 7RL	176	24	309	x	48.5	x	8	785	x	123.3	x	20	29	1774 W
A1200 - 184 - 24XB - 7RL	184	24	323	x	48.5	x	8	819	x	123.3	x	20	31	1855 W
A1200 - 196 - 24XB - 7RL	196	24	336	x	48.5	x	8	854	x	123.3	x	20	32	1935 W
A1200 - 200 - 24XB - 7RL	200	24	350	x	48.5	x	8	889	x	123.3	x	20	33	2016 W
A1200 - 208 - 24XB - 7RL	208	24	364	x	48.5	x	8	924	x	123.3	x	20	35	2097 W
A1200 - 216 - 24XB - 7RL	216	24	377	x	48.5	x	8	958	x	123.3	x	20	36	2177 W
A1200 - 224 - 24XB - 7RL	224	24	391	x	48.5	x	8	993	x	123.3	x	20	37	2258 W
A1200 - 232 - 24XB - 7RL	232	24	405	x	48.5	x	8	1028	x	123.3	x	20	39	2339 W
A1200 - 240 - 24XB - 7RL	240	24	418	x	48.5	x	8	1063	x	123.3	x	20	40	2419 W
A1200 - 248 - 24XB - 7RL	248	24	432	x	48.5	x	8	1097	x	123.3	x	20	41	2500 W
A1200 - 256 - 24XB - 7RL	256	24	446	x	48.5	x	8	1132	x	123.3	x	20	43	2580 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-32XB-7RL****7 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR ●			
FOUR LINES			12" (30.5cm) - 55" (140cm) Character Height			
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1200 - 64 - 32XB - 7RL	64	32	117 x 62.3 x 8	298 x 158.1 x 20	10	860 W
A1200 - 72 - 32XB - 7RL	72	32	131 x 62.3 x 8	333 x 158.1 x 20	12	968 W
A1200 - 80 - 32XB - 7RL	80	32	145 x 62.3 x 8	368 x 158.1 x 20	13	1075 W
A1200 - 88 - 32XB - 7RL	88	32	158 x 62.3 x 8	402 x 158.1 x 20	15	1183 W
A1200 - 96 - 32XB - 7RL	96	32	172 x 62.3 x 8	437 x 158.1 x 20	16	1290 W
A1200- 104 - 32XB - 7RL	104	32	186 x 62.3 x 8	472 x 158.1 x 20	17	1398 W
A1200 - 112 - 32XB - 7RL	112	32	200 x 62.3 x 8	507 x 158.1 x 20	19	1505 W
A1200 - 120 - 32XB - 7RL	120	32	213 x 62.3 x 8	541 x 158.1 x 20	20	1613 W
A1200 - 128 - 32XB - 7RL	128	32	227 x 62.3 x 8	576 x 158.1 x 20	21	1720 W
A1200 - 136 - 32XB - 7RL	136	32	241 x 62.3 x 8	611 x 158.1 x 20	23	1828 W
A1200 - 144 - 32XB - 7RL	144	32	254 x 62.3 x 8	646 x 158.1 x 20	24	1935 W
A1200 - 160 - 32XB - 7RL	160	32	282 x 62.3 x 8	715 x 158.1 x 20	27	2150 W
A1200 - 168 - 32XB - 7RL	168	32	295 x 62.3 x 8	750 x 158.1 x 20	28	2258 W
A1200 - 176 - 32XB - 7RL	176	32	309 x 62.3 x 8	785 x 158.1 x 20	29	2365 W
A1200 - 184 - 32XB - 7RL	184	32	323 x 62.3 x 8	819 x 158.1 x 20	31	2473 W
A1200 - 196 - 32XB - 7RL	196	32	336 x 62.3 x 8	854 x 158.1 x 20	32	2580 W
A1200 - 200 - 32XB - 7RL	200	32	350 x 62.3 x 8	889 x 158.1 x 20	33	2688 W
A1200 - 208 - 32XB - 7RL	208	32	364 x 62.3 x 8	924 x 158.1 x 20	35	2796 W
A1200 - 216 - 32XB - 7RL	216	32	377 x 62.3 x 8	958 x 158.1 x 20	36	2903 W
A1200 - 224 - 32XB - 7RL	224	32	391 x 62.3 x 8	993 x 158.1 x 20	37	3011 W
A1200 - 232 - 32XB - 7RL	232	32	405 x 62.3 x 8	1028 x 158.1 x 20	39	3118 W
A1200 - 240 - 32XB - 7RL	240	32	418 x 62.3 x 8	1063 x 158.1 x 20	40	3226 W
A1200 - 248 - 32XB - 7RL	248	32	432 x 62.3 x 8	1097 x 158.1 x 20	41	3333 W
A1200 - 256 - 32XB - 7RL	256	32	446 x 62.3 x 8	1132 x 158.1 x 20	43	3441 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-40XB-7RL****7 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****FIVE LINES****12" (30.5cm) - 68" (174cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1200 - 64 - 40XB - 4RL	64	40	117 x 75.9 x 8	298 x 192.8 x 20	10	1075 W
A1200 - 72 - 40XB - 4RL	72	40	131 x 75.9 x 8	333 x 192.8 x 20	12	1210 W
A1200 - 80 - 40XB - 4RL	80	40	145 x 75.9 x 8	368 x 192.8 x 20	13	1344 W
A1200 - 88 - 40XB - 4RL	88	40	158 x 75.9 x 8	402 x 192.8 x 20	15	1478 W
A1200 - 96 - 40XB - 4RL	96	40	172 x 75.9 x 8	437 x 192.8 x 20	16	1613 W
A1200 - 104 - 40XB - 4RL	104	40	186 x 75.9 x 8	472 x 192.8 x 20	17	1747 W
A1200 - 112 - 40XB - 4RL	112	40	200 x 75.9 x 8	507 x 192.8 x 20	19	1882 W
A1200 - 120 - 40XB - 4RL	120	40	213 x 75.9 x 8	541 x 192.8 x 20	20	2016 W
A1200 - 128 - 40XB - 4RL	128	40	227 x 75.9 x 8	576 x 192.8 x 20	21	2150 W
A1200 - 136 - 40XB - 4RL	136	40	241 x 75.9 x 8	611 x 192.8 x 20	23	2285 W
A1200 - 144 - 40XB - 4RL	144	40	254 x 75.9 x 8	646 x 192.8 x 20	24	2419 W
A1200 - 160 - 40XB - 4RL	160	40	282 x 75.9 x 8	715 x 192.8 x 20	27	2688 W
A1200 - 168 - 40XB - 4RL	168	40	295 x 75.9 x 8	750 x 192.8 x 20	28	2822 W
A1200 - 176 - 40XB - 4RL	176	40	309 x 75.9 x 8	785 x 192.8 x 20	29	2957 W
A1200 - 184 - 40XB - 4RL	184	40	323 x 75.9 x 8	819 x 192.8 x 20	31	3091 W
A1200 - 196 - 40XB - 4RL	196	40	336 x 75.9 x 8	854 x 192.8 x 20	32	3226 W
A1200 - 200 - 40XB - 4RL	200	40	350 x 75.9 x 8	889 x 192.8 x 20	33	3360 W
A1200 - 208 - 40XB - 4RL	208	40	364 x 75.9 x 8	924 x 192.8 x 20	35	3494 W
A1200 - 216 - 40XB - 4RL	216	40	377 x 75.9 x 8	958 x 192.8 x 20	36	3629 W
A1200 - 224 - 40XB - 4RL	224	40	391 x 75.9 x 8	993 x 192.8 x 20	37	3763 W
A1200 - 232 - 40XB - 4RL	232	40	405 x 75.9 x 8	1028 x 192.8 x 20	39	3898 W
A1200 - 240 - 40XB - 4RL	240	40	418 x 75.9 x 8	1063 x 192.8 x 20	40	4032 W
A1200 - 248 - 40XB - 4RL	248	40	432 x 75.9 x 8	1097 x 192.8 x 20	41	4166 W
A1200 - 256 - 40XB - 4RL	256	40	446 x 75.9 x 8	1132 x 192.8 x 20	43	4301 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)


LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

APOLLO™**GAMMA INDOOR SIGN****APOLLO 1200-48XB-7RL****7 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
SIX LINES		12" (30.5cm) - 82" (208cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
A1200 - 64 - 48XB - 7RL	64	48	117 x 89.6 x 8	298 x 227.5 x 20	10	1290 W
A1200 - 72 - 48XB - 7RL	72	48	131 x 89.6 x 8	333 x 227.5 x 20	12	1452 W
A1200 - 80 - 48XB - 7RL	80	48	145 x 89.6 x 8	368 x 227.5 x 20	13	1613 W
A1200 - 88 - 48XB - 7RL	88	48	158 x 89.6 x 8	402 x 227.5 x 20	15	1774 W
A1200 - 96 - 48XB - 7RL	96	48	172 x 89.6 x 8	437 x 227.5 x 20	16	1935 W
A1200 - 104 - 40XB - 7RL	104	48	186 x 89.6 x 8	472 x 227.5 x 20	17	2097 W
A1200 - 112 - 48XB - 7RL	112	48	200 x 89.6 x 8	507 x 227.5 x 20	19	2258 W
A1200 - 120 - 48XB - 7RL	120	48	213 x 89.6 x 8	541 x 227.5 x 20	20	2419 W
A1200 - 128 - 48XB - 7RL	128	48	227 x 89.6 x 8	576 x 227.5 x 20	21	2580 W
A1200 - 136 - 48XB - 7RL	136	48	241 x 89.6 x 8	611 x 227.5 x 20	23	2742 W
A1200 - 144 - 48XB - 7RL	144	48	254 x 89.6 x 8	646 x 227.5 x 20	24	2903 W
A1200 - 160 - 48XB - 4RL	160	48	282 x 89.6 x 8	715 x 227.5 x 20	27	3226 W
A1200 - 168 - 48XB - 7RL	168	48	295 x 89.6 x 8	750 x 227.5 x 20	28	3387 W
A1200 - 176 - 48XB - 7RL	176	48	309 x 89.6 x 8	785 x 227.5 x 20	29	3548 W
A1200 - 184 - 48XB - 7RL	184	48	323 x 89.6 x 8	819 x 227.5 x 20	31	3709 W
A1200 - 196 - 48XB - 7RL	196	48	336 x 89.6 x 8	854 x 227.5 x 20	32	3871 W
A1200 - 200 - 48XB - 7RL	200	48	350 x 89.6 x 8	889 x 227.5 x 20	33	4032 W
A1200 - 208 - 48XB - 7RL	208	48	364 x 89.6 x 8	924 x 227.5 x 20	35	4193 W
A1200 - 216 - 48XB - 7RL	216	48	377 x 89.6 x 8	958 x 227.5 x 20	36	4355 W
A1200 - 224 - 48XB - 7RL	224	48	391 x 89.6 x 8	993 x 227.5 x 20	37	4516 W
A1200 - 232 - 48XB - 7RL	232	48	405 x 89.6 x 8	1028 x 227.5 x 20	39	4677 W
A1200 - 240 - 48XB - 7RL	240	48	418 x 89.6 x 8	1063 x 227.5 x 20	40	4838 W
A1200 - 248 - 48XB - 7RL	248	48	432 x 89.6 x 8	1097 x 227.5 x 20	41	5000 W
A1200 - 256 - 48XB - 7RL	256	48	446 x 89.6 x 8	1132 x 227.5 x 20	43	5161 W

Pitch: 1.71" 4.34cm**Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**