

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-7UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
ONE LINE				9" (23cm) Character Height		
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 7UB - 4RL	64	7	92 x 18 x 8	233 x 45.5 x 20	10	108 W
S1050 - 72 - 7UB - 4RL	72	7	102 x 18 x 8	260 x 45.5 x 20	12	121 W
S1050 - 80 - 7UB - 4RL	80	7	113 x 18 x 8	286 x 45.5 x 20	13	134 W
S1050 - 88 - 7UB - 4RL	88	7	123 x 18 x 8	313 x 45.5 x 20	15	148 W
S1050 - 96 - 7UB - 4RL	96	7	134 x 18 x 8	340 x 45.5 x 20	16	161 W
S1050 - 104 - 7UB - 4RL	104	7	144 x 18 x 8	366 x 45.5 x 20	17	175 W
S1050 - 112 - 7UB - 4RL	112	7	155 x 18 x 8	392 x 45.5 x 20	19	188 W
S1050 - 120 - 7UB - 4RL	120	7	165 x 18 x 8	419 x 45.5 x 20	20	202 W
S1050 - 128 - 7UB - 4RL	128	7	176 x 18 x 8	446 x 45.5 x 20	21	215 W
S1050 - 136 - 7UB - 4RL	136	7	186 x 18 x 8	473 x 45.5 x 20	23	228 W
S1050 - 144 - 7UB - 4RL	144	7	197 x 18 x 8	499 x 45.5 x 20	24	242 W
S1050 - 160 - 7UB - 4RL	160	7	218 x 18 x 8	553 x 45.5 x 20	27	269 W
S1050 - 168 - 7UB - 4RL	168	7	228 x 18 x 8	579 x 45.5 x 20	28	282 W
S1050 - 176 - 7UB - 4RL	176	7	239 x 18 x 8	606 x 45.5 x 20	29	296 W
S1050 - 184 - 7UB - 4RL	184	7	249 x 18 x 8	633 x 45.5 x 20	31	309 W
S1050 - 196 - 7UB - 4RL	196	7	260 x 18 x 8	659 x 45.5 x 20	32	323 W
S1050 - 200 - 7UB - 4RL	200	7	270 x 18 x 8	686 x 45.5 x 20	33	336 W
S1050 - 208 - 7UB - 4RL	208	7	280 x 18 x 8	712 x 45.5 x 20	35	349 W
S1050 - 216 - 7UB - 4RL	216	7	291 x 18 x 8	739 x 45.5 x 20	36	363 W
S1050 - 224 - 7UB - 4RL	224	7	301 x 18 x 8	766 x 45.5 x 20	37	376 W
S1050 - 232 - 7UB - 4RL	232	7	312 x 18 x 8	792 x 45.5 x 20	39	390 W
S1050 - 240 - 7UB - 4RL	240	7	322 x 18 x 8	819 x 45.5 x 20	40	403 W
S1050 - 248 - 7UB - 4RL	248	7	333 x 18 x 8	845 x 45.5 x 20	41	417 W
S1050 - 256 - 7UB - 4RL	256	7	343 x 18 x 8	872 x 45.5 x 20	43	430 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



SUPERSUN 1050R LED TILE

LED Type:

Gamma accepts only the highest quality LED in the industry

AllInGaP For Longer Life and High Performance

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)

LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-16UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS			SINGLE COLOR ●			
TWO LINES		9" (23cm) - 21" (53cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 16UB - 4RL	64	16	92 x 28.5 x 8	233 x 72.3 x 20	10	246 W
S1050 - 72 - 16UB - 4RL	72	16	102 x 28.5 x 8	260 x 72.3 x 20	12	276 W
S1050 - 80 - 16UB - 4RL	80	16	113 x 28.5 x 8	286 x 72.3 x 20	13	307 W
S1050 - 88 - 16UB - 4RL	88	16	123 x 28.5 x 8	313 x 72.3 x 20	15	338 W
S1050 - 96 - 16UB - 4RL	96	16	134 x 28.5 x 8	340 x 72.3 x 20	16	369 W
S1050 - 104 - 16UB - 4RL	104	16	144 x 28.5 x 8	366 x 72.3 x 20	17	399 W
S1050 - 112 - 16UB - 4RL	112	16	155 x 28.5 x 8	392 x 72.3 x 20	19	430 W
S1050 - 120 - 16UB - 4RL	120	16	165 x 28.5 x 8	419 x 72.3 x 20	20	461 W
S1050 - 128 - 16UB - 4RL	128	16	176 x 28.5 x 8	446 x 72.3 x 20	21	492 W
S1050 - 136 - 16UB - 4RL	136	16	186 x 28.5 x 8	473 x 72.3 x 20	23	522 W
S1050 - 144 - 16UB - 4RL	144	16	197 x 28.5 x 8	499 x 72.3 x 20	24	553 W
S1050 - 160 - 16UB - 4RL	160	16	218 x 28.5 x 8	553 x 72.3 x 20	27	614 W
S1050 - 168 - 16UB - 4RL	168	16	228 x 28.5 x 8	579 x 72.3 x 20	28	645 W
S1050 - 176 - 16UB - 4RL	176	16	239 x 28.5 x 8	606 x 72.3 x 20	29	676 W
S1050 - 184 - 16UB - 4RL	184	16	249 x 28.5 x 8	633 x 72.3 x 20	31	707 W
S1050 - 196 - 16UB - 4RL	196	16	260 x 28.5 x 8	659 x 72.3 x 20	32	737 W
S1050 - 200 - 16UB - 4RL	200	16	270 x 28.5 x 8	686 x 72.3 x 20	33	768 W
S1050 - 208 - 16UB - 4RL	208	16	280 x 28.5 x 8	712 x 72.3 x 20	35	799 W
S1050 - 216 - 16UB - 4RL	216	16	291 x 28.5 x 8	739 x 72.3 x 20	36	829 W
S1050 - 224 - 16UB - 4RL	224	16	301 x 28.5 x 8	766 x 72.3 x 20	37	860 W
S1050 - 232 - 16UB - 4RL	232	16	312 x 28.5 x 8	792 x 72.3 x 20	39	891 W
S1050 - 240 - 16UB - 4RL	240	16	322 x 28.5 x 8	819 x 72.3 x 20	40	922 W
S1050 - 248 - 16UB - 4RL	248	16	333 x 28.5 x 8	845 x 72.3 x 20	41	952 W
S1050 - 256 - 16UB - 4RL	256	16	343 x 28.5 x 8	872 x 72.3 x 20	43	983 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



SUPERSUN 1050R LED TILE

LED Type:

**Gamma accepts only the highest quality LED in the industry
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
 Different color LED (● Green, ● Yellow, ● Blue, ○ White) available
 Full matrix displays: Text, Graphics, Animation and (Video, Option)
 LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)
 LED MATRIX PER TILE: 8 x 7 Pixel
 LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers
Front access: For easy installation and service
Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-24UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
THREE LINES		9.25" (23cm) - 31.5" (79.85cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 24UB - 4RL	64	24	92 x 39 x 8	233 x 98.91 x 20	10	369 W
S1050 - 72 - 24UB - 4RL	72	24	102 x 39 x 8	260 x 98.91 x 20	12	415 W
S1050 - 80 - 24UB - 4RL	80	24	113 x 39 x 8	286 x 98.91 x 20	13	461 W
S1050 - 88 - 24UB - 4RL	88	24	123 x 39 x 8	313 x 98.91 x 20	15	507 W
S1050 - 96 - 24UB - 4RL	96	24	134 x 39 x 8	340 x 98.91 x 20	16	553 W
S1050 - 104 - 24UB - 4RL	104	24	144 x 39 x 8	366 x 98.91 x 20	17	599 W
S1050 - 112 - 24UB - 4RL	112	24	155 x 39 x 8	392 x 98.91 x 20	19	645 W
S1050 - 120 - 24UB - 4RL	120	24	165 x 39 x 8	419 x 98.91 x 20	20	691 W
S1050 - 128 - 24UB - 4RL	128	24	176 x 39 x 8	446 x 98.91 x 20	21	737 W
S1050 - 136 - 24UB - 4RL	136	24	186 x 39 x 8	473 x 98.91 x 20	23	783 W
S1050 - 144 - 24UB - 4RL	144	24	197 x 39 x 8	499 x 98.91 x 20	24	829 W
S1050 - 160 - 24UB - 4RL	160	24	218 x 39 x 8	553 x 98.91 x 20	27	922 W
S1050 - 168 - 24UB - 4RL	168	24	228 x 39 x 8	579 x 98.91 x 20	28	968 W
S1050 - 176 - 24UB - 4RL	176	24	239 x 39 x 8	606 x 98.91 x 20	29	1014 W
S1050 - 184 - 24UB - 4RL	184	24	249 x 39 x 8	633 x 98.91 x 20	31	1060 W
S1050 - 196 - 24UB - 4RL	196	24	260 x 39 x 8	659 x 98.91 x 20	32	1106 W
S1050 - 200 - 24UB - 4RL	200	24	270 x 39 x 8	686 x 98.91 x 20	33	1152 W
S1050 - 208 - 24UB - 4RL	208	24	280 x 39 x 8	712 x 98.91 x 20	35	1198 W
S1050 - 216 - 24UB - 4RL	216	24	291 x 39 x 8	739 x 98.91 x 20	36	1244 W
S1050 - 224 - 24UB - 4RL	224	24	301 x 39 x 8	766 x 98.91 x 20	37	1290 W
S1050 - 232 - 24UB - 4RL	232	24	312 x 39 x 8	792 x 98.91 x 20	39	1336 W
S1050 - 240 - 24UB - 4RL	240	24	322 x 39 x 8	819 x 98.91 x 20	40	1382 W
S1050 - 248 - 24UB - 4RL	248	24	333 x 39 x 8	845 x 98.91 x 20	41	1428 W
S1050 - 256 - 24UB - 4RL	256	24	343 x 39 x 8	872 x 98.91 x 20	43	1475 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



SUPERSUN 1050R LED TILE

LED Type:

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
 Different color LED (● Green, ● Yellow, ● Blue, ○ White) available
 Full matrix displays: Text, Graphics, Animation and (Video, Option)
 LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)
 LED MATRIX PER TILE: 8 x 7 Pixel
 LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers
Front access: For easy installation and service
Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-32UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
FOUR LINES		9.25" (23cm) - 42" (107cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 32UB - 4RL	64	32	92 x 49.45 x 8	233 x 125.53 x 20	10	492 W
S1050 - 72 - 32UB - 4RL	72	32	102 x 49.45 x 8	260 x 125.53 x 20	12	553 W
S1050 - 80 - 32UB - 4RL	80	32	113 x 49.45 x 8	286 x 125.53 x 20	13	614 W
S1050 - 88 - 32UB - 4RL	88	32	123 x 49.45 x 8	313 x 125.53 x 20	15	676 W
S1050 - 96 - 32UB - 4RL	96	32	134 x 49.45 x 8	340 x 125.53 x 20	16	737 W
S1050 - 104 - 32UB - 4RL	104	32	144 x 49.45 x 8	366 x 125.53 x 20	17	799 W
S1050 - 112 - 32UB - 4RL	112	32	155 x 49.45 x 8	392 x 125.53 x 20	19	860 W
S1050 - 120 - 32UB - 4RL	120	32	165 x 49.45 x 8	419 x 125.53 x 20	20	922 W
S1050 - 128 - 32UB - 4RL	128	32	176 x 49.45 x 8	446 x 125.53 x 20	21	983 W
S1050 - 136 - 32UB - 4RL	136	32	186 x 49.45 x 8	473 x 125.53 x 20	23	1044 W
S1050 - 144 - 32UB - 4RL	144	32	197 x 49.45 x 8	499 x 125.53 x 20	24	1106 W
S1050 - 160 - 32UB - 4RL	160	32	218 x 49.45 x 8	553 x 125.53 x 20	27	1229 W
S1050 - 168 - 32UB - 4RL	168	32	228 x 49.45 x 8	579 x 125.53 x 20	28	1290 W
S1050 - 176 - 32UB - 4RL	176	32	239 x 49.45 x 8	606 x 125.53 x 20	29	1352 W
S1050 - 184 - 32UB - 4RL	184	32	249 x 49.45 x 8	633 x 125.53 x 20	31	1413 W
S1050 - 196 - 32UB - 4RL	196	32	260 x 49.45 x 8	659 x 125.53 x 20	32	1475 W
S1050 - 200 - 32UB - 4RL	200	32	270 x 49.45 x 8	686 x 125.53 x 20	33	1536 W
S1050 - 208 - 32UB - 4RL	208	32	280 x 49.45 x 8	712 x 125.53 x 20	35	1597 W
S1050 - 216 - 32UB - 4RL	216	32	291 x 49.45 x 8	739 x 125.53 x 20	36	1659 W
S1050 - 224 - 32UB - 4RL	224	32	301 x 49.45 x 8	766 x 125.53 x 20	37	1720 W
S1050 - 232 - 32UB - 4RL	232	32	312 x 49.45 x 8	792 x 125.53 x 20	39	1782 W
S1050 - 240 - 32UB - 4RL	240	32	322 x 49.45 x 8	819 x 125.53 x 20	40	1843 W
S1050 - 248 - 32UB - 4RL	248	32	333 x 49.45 x 8	845 x 125.53 x 20	41	1905 W
S1050 - 256 - 32UB - 4RL	256	32	343 x 49.45 x 8	872 x 125.53 x 20	43	1966 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



**SUPERSUN 1050R
LED TILE**

LED Type:

**Gamma accepts only the highest quality LED in the industry
AlInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
Different color LED (● Green, ● Yellow, ● Blue, ○ White) available
Full matrix displays: Text, Graphics, Animation and (Video, Option)
LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)
LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-40UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
FIVE LINES		9.25" (23cm) - 52.5" (133cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 40UB - 4RL	64	40	92 x 60 x 8	233 x 152.15 x 20	10	614 W
S1050 - 72 - 40UB - 4RL	72	40	102 x 60 x 8	260 x 152.15 x 20	12	691 W
S1050 - 80 - 40UB - 4RL	80	40	113 x 60 x 8	286 x 152.15 x 20	13	768 W
S1050 - 88 - 40UB - 4RL	88	40	123 x 60 x 8	313 x 152.15 x 20	15	845 W
S1050 - 96 - 40UB - 4RL	96	40	134 x 60 x 8	340 x 152.15 x 20	16	922 W
S1050 - 104 - 40UB - 4RL	104	40	144 x 60 x 8	366 x 152.15 x 20	17	998 W
S1050 - 112 - 40UB - 4RL	112	40	155 x 60 x 8	392 x 152.15 x 20	19	1075 W
S1050 - 120 - 40UB - 4RL	120	40	165 x 60 x 8	419 x 152.15 x 20	20	1152 W
S1050 - 128 - 40UB - 4RL	128	40	176 x 60 x 8	446 x 152.15 x 20	21	1229 W
S1050 - 136 - 40UB - 4RL	136	40	186 x 60 x 8	473 x 152.15 x 20	23	1306 W
S1050 - 144 - 40UB - 4RL	144	40	197 x 60 x 8	499 x 152.15 x 20	24	1382 W
S1050 - 160 - 40UB - 4RL	160	40	218 x 60 x 8	553 x 152.15 x 20	27	1536 W
S1050 - 168 - 40UB - 4RL	168	40	228 x 60 x 8	579 x 152.15 x 20	28	1613 W
S1050 - 176 - 40UB - 4RL	176	40	239 x 60 x 8	606 x 152.15 x 20	29	1690 W
S1050 - 184 - 40UB - 4RL	184	40	249 x 60 x 8	633 x 152.15 x 20	31	1766 W
S1050 - 196 - 40UB - 4RL	196	40	260 x 60 x 8	659 x 152.15 x 20	32	1843 W
S1050 - 200 - 40UB - 4RL	200	40	270 x 60 x 8	686 x 152.15 x 20	33	1920 W
S1050 - 208 - 40UB - 4RL	208	40	280 x 60 x 8	712 x 152.15 x 20	35	1997 W
S1050 - 216 - 40UB - 4RL	216	40	291 x 60 x 8	739 x 152.15 x 20	36	2074 W
S1050 - 224 - 40UB - 4RL	224	40	301 x 60 x 8	766 x 152.15 x 20	37	2150 W
S1050 - 232 - 40UB - 4RL	232	40	312 x 60 x 8	792 x 152.15 x 20	39	2227 W
S1050 - 240 - 40UB - 4RL	240	40	322 x 60 x 8	819 x 152.15 x 20	40	2304 W
S1050 - 248 - 40UB - 4RL	248	40	333 x 60 x 8	845 x 152.15 x 20	41	2381 W
S1050 - 256 - 40UB - 4RL	256	40	343 x 60 x 8	872 x 152.15 x 20	43	2458 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



SUPERSUN 1050R LED TILE

LED Type:

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
Different color LED (● Green, ● Yellow, ● Blue, ○ White) available
Full matrix displays: Text, Graphics, Animation and (Video, Option)
LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)
LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers
Front access: For easy installation and service
Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™

OUTDOOR ULTRA-BRIGHT

SUPERSUN 1050-48UB-4RL

4 LED PER PIXEL

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
SIX LINES		9.25" (23cm) - 63" (160cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 48UB - 4RL	64	48	92 x 70.4 x 8	233 x 178.8 x 20	10	737 W
S1050 - 72 - 48UB - 4RL	72	48	102 x 70.4 x 8	260 x 178.8 x 20	12	829 W
S1050 - 80 - 48UB - 4RL	80	48	113 x 70.4 x 8	286 x 178.8 x 20	13	922 W
S1050 - 88 - 48UB - 4RL	88	48	123 x 70.4 x 8	313 x 178.8 x 20	15	1014 W
S1050 - 96 - 48UB - 4RL	96	48	134 x 70.4 x 8	340 x 178.8 x 20	16	1106 W
S1050 - 104 - 48UB - 4RL	104	48	144 x 70.4 x 8	366 x 178.8 x 20	17	1198 W
S1050 - 112 - 48UB - 4RL	112	48	155 x 70.4 x 8	392 x 178.8 x 20	19	1290 W
S1050 - 120 - 48UB - 4RL	120	48	165 x 70.4 x 8	419 x 178.8 x 20	20	1382 W
S1050 - 128 - 48UB - 4RL	128	48	176 x 70.4 x 8	446 x 178.8 x 20	21	1475 W
S1050 - 136 - 48UB - 4RL	136	48	186 x 70.4 x 8	473 x 178.8 x 20	23	1567 W
S1050 - 144 - 48UB - 4RL	144	48	197 x 70.4 x 8	499 x 178.8 x 20	24	1659 W
S1050 - 160 - 48UB - 4RL	160	48	218 x 70.4 x 8	553 x 178.8 x 20	27	1843 W
S1050 - 168 - 48UB - 4RL	168	48	228 x 70.4 x 8	579 x 178.8 x 20	28	1935 W
S1050 - 176 - 48UB - 4RL	176	48	239 x 70.4 x 8	606 x 178.8 x 20	29	2028 W
S1050 - 184 - 48UB - 4RL	184	48	249 x 70.4 x 8	633 x 178.8 x 20	31	2120 W
S1050 - 196 - 48UB - 4RL	196	48	260 x 70.4 x 8	659 x 178.8 x 20	32	2212 W
S1050 - 200 - 48UB - 4RL	200	48	270 x 70.4 x 8	686 x 178.8 x 20	33	2304 W
S1050 - 208 - 48UB - 4RL	208	48	280 x 70.4 x 8	712 x 178.8 x 20	35	2396 W
S1050 - 216 - 48UB - 4RL	216	48	291 x 70.4 x 8	739 x 178.8 x 20	36	2488 W
S1050 - 224 - 48UB - 4RL	224	48	301 x 70.4 x 8	766 x 178.8 x 20	37	2580 W
S1050 - 232 - 48UB - 4RL	232	48	312 x 70.4 x 8	792 x 178.8 x 20	39	2673 W
S1050 - 240 - 48UB - 4RL	240	48	322 x 70.4 x 8	819 x 178.8 x 20	40	2765 W
S1050 - 248 - 48UB - 4RL	248	48	333 x 70.4 x 8	845 x 178.8 x 20	41	2857 W
S1050 - 256 - 48UB - 4RL	256	48	343 x 70.4 x 8	872 x 178.8 x 20	43	2949 W

Pitch: 1.31" 3.33cm

Number of LED Per Pixel: 4 LED



SUPERSUN 1050R LED TILE

LED Type:

**Gamma accepts only the highest quality LED in the industry
AlInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
Different color LED (● Green, ● Yellow, ● Blue, ○ White) available
Full matrix displays: Text, Graphics, Animation and (Video, Option)
LED Tile Size: 10.5" x 10.5" (26.67cm. x 26.67cm.)
LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.