


**SUPERSUN™**

**OUTDOOR ULTRA-BRIGHT**



**SUPERSUN 1050-7UB-9CL**

**9 LED PER PIXEL**

FULL MATRIX DISPLAYS				MULTI COLOR 		
ONE LINE				9" (23cm) Character Height		
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 7UB - 9CL	64	7	92 x 18 x 8	233 x 45.5 x 20	10	242 W
S1050 - 72 - 7UB - 9CL	72	7	102 x 18 x 8	260 x 45.5 x 20	12	272 W
S1050 - 80 - 7UB - 9CL	80	7	113 x 18 x 8	286 x 45.5 x 20	13	302 W
S1050 - 88 - 7UB - 9CL	88	7	123 x 18 x 8	313 x 45.5 x 20	15	333 W
S1050 - 96 - 7UB - 9CL	96	7	134 x 18 x 8	340 x 45.5 x 20	16	363 W
S1050 - 104 - 7UB - 9CL	104	7	144 x 18 x 8	366 x 45.5 x 20	17	393 W
S1050 - 112 - 7UB - 9CL	112	7	155 x 18 x 8	392 x 45.5 x 20	19	423 W
S1050 - 120 - 7UB - 9CL	120	7	165 x 18 x 8	419 x 45.5 x 20	20	454 W
S1050 - 128 - 7UB - 9CL	128	7	176 x 18 x 8	446 x 45.5 x 20	21	484 W
S1050 - 136 - 7UB - 9CL	136	7	186 x 18 x 8	473 x 45.5 x 20	23	514 W
S1050 - 144 - 7UB - 9CL	144	7	197 x 18 x 8	499 x 45.5 x 20	24	544 W
S1050 - 160 - 7UB - 9CL	160	7	218 x 18 x 8	553 x 45.5 x 20	27	605 W
S1050 - 168 - 7UB - 9CL	168	7	228 x 18 x 8	579 x 45.5 x 20	28	635 W
S1050 - 176 - 7UB - 9CL	176	7	239 x 18 x 8	606 x 45.5 x 20	29	665 W
S1050 - 184 - 7UB - 9CL	184	7	249 x 18 x 8	633 x 45.5 x 20	31	696 W
S1050 - 196 - 7UB - 9CL	196	7	260 x 18 x 8	659 x 45.5 x 20	32	726 W
S1050 - 200 - 7UB - 9CL	200	7	270 x 18 x 8	686 x 45.5 x 20	33	756 W
S1050 - 208 - 7UB - 9CL	208	7	280 x 18 x 8	712 x 45.5 x 20	35	786 W
S1050 - 216 - 7UB - 9CL	216	7	291 x 18 x 8	739 x 45.5 x 20	36	816 W
S1050 - 224 - 7UB - 9CL	224	7	301 x 18 x 8	766 x 45.5 x 20	37	847 W
S1050 - 232 - 7UB - 9CL	232	7	312 x 18 x 8	792 x 45.5 x 20	39	877 W
S1050 - 240 - 7UB - 9CL	240	7	322 x 18 x 8	819 x 45.5 x 20	40	907 W
S1050 - 248 - 7UB - 9CL	248	7	333 x 18 x 8	845 x 45.5 x 20	41	937 W
S1050 - 256 - 7UB - 9CL	256	7	343 x 18 x 8	872 x 45.5 x 20	43	968 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix  
Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)  
LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )  
LED MATRIX PER TILE: 8 x 7 Pixel  
LED PER PIXEL: 9 LED, ( 13 Available )


**All signs have built-in controllers**  
**Front access: For easy installation and service**  
**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™**

**OUTDOOR ULTRA-BRIGHT**



**SUPERSUN 1050-16UB-9CL**

**9 LED PER PIXEL**

FULL MATRIX DISPLAYS			MULTI COLOR 			
TWO LINES		9" (23cm) - 21" ( 53cm ) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 16UB - 9CL	64	16	92 x 28.5 x 8	233 x 72.3 x 20	10	553 W
S1050 - 72 - 16UB - 9CL	72	16	102 x 28.5 x 8	260 x 72.3 x 20	12	622 W
S1050 - 80 - 16UB - 9CL	80	16	113 x 28.5 x 8	286 x 72.3 x 20	13	691 W
S1050 - 88 - 16UB - 9CL	88	16	123 x 28.5 x 8	313 x 72.3 x 20	15	760 W
S1050 - 96 - 16UB - 9CL	96	16	134 x 28.5 x 8	340 x 72.3 x 20	16	829 W
S1050 - 104 - 16UB - 9CL	104	16	144 x 28.5 x 8	366 x 72.3 x 20	17	899 W
S1050 - 112 - 16UB - 9CL	112	16	155 x 28.5 x 8	392 x 72.3 x 20	19	968 W
S1050 - 120 - 16UB - 9CL	120	16	165 x 28.5 x 8	419 x 72.3 x 20	20	1037 W
S1050 - 128 - 16UB - 9CL	128	16	176 x 28.5 x 8	446 x 72.3 x 20	21	1106 W
S1050 - 136 - 16UB - 9CL	136	16	186 x 28.5 x 8	473 x 72.3 x 20	23	1175 W
S1050 - 144 - 16UB - 9CL	144	16	197 x 28.5 x 8	499 x 72.3 x 20	24	1244 W
S1050 - 160 - 16UB - 9CL	160	16	218 x 28.5 x 8	553 x 72.3 x 20	27	1382 W
S1050 - 168 - 16UB - 9CL	168	16	228 x 28.5 x 8	579 x 72.3 x 20	28	1452 W
S1050 - 176 - 16UB - 9CL	176	16	239 x 28.5 x 8	606 x 72.3 x 20	29	1521 W
S1050 - 184 - 16UB - 9CL	184	16	249 x 28.5 x 8	633 x 72.3 x 20	31	1590 W
S1050 - 196 - 16UB - 9CL	196	16	260 x 28.5 x 8	659 x 72.3 x 20	32	1659 W
S1050 - 200 - 16UB - 9CL	200	16	270 x 28.5 x 8	686 x 72.3 x 20	33	1728 W
S1050 - 208 - 16UB - 9CL	208	16	280 x 28.5 x 8	712 x 72.3 x 20	35	1797 W
S1050 - 216 - 16UB - 9CL	216	16	291 x 28.5 x 8	739 x 72.3 x 20	36	1866 W
S1050 - 224 - 16UB - 9CL	224	16	301 x 28.5 x 8	766 x 72.3 x 20	37	1935 W
S1050 - 232 - 16UB - 9CL	232	16	312 x 28.5 x 8	792 x 72.3 x 20	39	2004 W
S1050 - 240 - 16UB - 9CL	240	16	322 x 28.5 x 8	819 x 72.3 x 20	40	2074 W
S1050 - 248 - 16UB - 9CL	248	16	333 x 28.5 x 8	845 x 72.3 x 20	41	2143 W
S1050 - 256 - 16UB - 9CL	256	16	343 x 28.5 x 8	872 x 72.3 x 20	43	2212 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix  
Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)  
LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )  
LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 9 LED, ( 13 Available )

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™**

**OUTDOOR ULTRA-BRIGHT**

**SUPERSUN 1050-24UB-9CL**

**9 LED PER PIXEL**

**FULL MATRIX DISPLAYS**

**MULTI COLOR**





**THREE LINES**

**9.25" (23cm) - 31.5" ( 79.85cm ) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 24UB - 9CL	64	24	92 x 39 x 8	233 x 98.91 x 20	10	829 W
S1050 - 72 - 24UB - 9CL	72	24	102 x 39 x 8	260 x 98.91 x 20	12	933 W
S1050 - 80 - 24UB - 9CL	80	24	113 x 39 x 8	286 x 98.91 x 20	13	1037 W
S1050 - 88 - 24UB - 9CL	88	24	123 x 39 x 8	313 x 98.91 x 20	15	1140 W
S1050 - 96 - 24UB - 9CL	96	24	134 x 39 x 8	340 x 98.91 x 20	16	1244 W
S1050 - 104 - 24UB - 9CL	104	24	144 x 39 x 8	366 x 98.91 x 20	17	1348 W
S1050 - 112 - 24UB - 9CL	112	24	155 x 39 x 8	392 x 98.91 x 20	19	1452 W
S1050 - 120 - 24UB - 9CL	120	24	165 x 39 x 8	419 x 98.91 x 20	20	1555 W
S1050 - 128 - 24UB - 9CL	128	24	176 x 39 x 8	446 x 98.91 x 20	21	1659 W
S1050 - 136 - 24UB - 9CL	136	24	186 x 39 x 8	473 x 98.91 x 20	23	1763 W
S1050 - 144 - 24UB - 9CL	144	24	197 x 39 x 8	499 x 98.91 x 20	24	1866 W
S1050 - 160 - 24UB - 9CL	160	24	218 x 39 x 8	553 x 98.91 x 20	27	2074 W
S1050 - 168 - 24UB - 9CL	168	24	228 x 39 x 8	579 x 98.91 x 20	28	2177 W
S1050 - 176 - 24UB - 9CL	176	24	239 x 39 x 8	606 x 98.91 x 20	29	2281 W
S1050 - 184 - 24UB - 9CL	184	24	249 x 39 x 8	633 x 98.91 x 20	31	2385 W
S1050 - 196 - 24UB - 9CL	196	24	260 x 39 x 8	659 x 98.91 x 20	32	2488 W
S1050 - 200 - 24UB - 9CL	200	24	270 x 39 x 8	686 x 98.91 x 20	33	2592 W
S1050 - 208 - 24UB - 9CL	208	24	280 x 39 x 8	712 x 98.91 x 20	35	2696 W
S1050 - 216 - 24UB - 9CL	216	24	291 x 39 x 8	739 x 98.91 x 20	36	2799 W
S1050 - 224 - 24UB - 9CL	224	24	301 x 39 x 8	766 x 98.91 x 20	37	2903 W
S1050 - 232 - 24UB - 9CL	232	24	312 x 39 x 8	792 x 98.91 x 20	39	3007 W
S1050 - 240 - 24UB - 9CL	240	24	322 x 39 x 8	819 x 98.91 x 20	40	3110 W
S1050 - 248 - 24UB - 9CL	248	24	333 x 39 x 8	845 x 98.91 x 20	41	3214 W
S1050 - 256 - 24UB - 9CL	256	24	343 x 39 x 8	872 x 98.91 x 20	43	3318 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 9 LED, ( 13 Available )

**All signs have built-in controllers**

**Front access: For easy installation and service**


**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™**

**OUTDOOR ULTRA-BRIGHT**



**SUPERSUN 1050-32UB-9CL**

**9 LED PER PIXEL**

FULL MATRIX DISPLAYS			MULTI COLOR 							
FOUR LINES		9.25" (23cm) - 42" ( 107cm ) Character Height								
MODEL #	COLUNS	ROWS	SIZE (Inch)			SIZE (Cm)			# OF CHARACT. PER LINE	POWER CONSUMP.
			L	H	D	L	H	D		
S1050 - 64 - 32UB - 9CL	64	32	92	x 49.45	x 8	233	x 125.53	x 20	10	1106 W
S1050 - 72 - 32UB - 9CL	72	32	102	x 49.45	x 8	260	x 125.53	x 20	12	1244 W
S1050 - 80 - 32UB - 9CL	80	32	113	x 49.45	x 8	286	x 125.53	x 20	13	1382 W
S1050 - 88 - 32UB - 9CL	88	32	123	x 49.45	x 8	313	x 125.53	x 20	15	1521 W
S1050 - 96 - 32UB - 9CL	96	32	134	x 49.45	x 8	340	x 125.53	x 20	16	1659 W
S1050 - 104 - 32UB - 9CL	104	32	144	x 49.45	x 8	366	x 125.53	x 20	17	1797 W
S1050 - 112 - 32UB - 9CL	112	32	155	x 49.45	x 8	392	x 125.53	x 20	19	1935 W
S1050 - 120 - 32UB - 9CL	120	32	165	x 49.45	x 8	419	x 125.53	x 20	20	2074 W
S1050 - 128 - 32UB - 9CL	128	32	176	x 49.45	x 8	446	x 125.53	x 20	21	2212 W
S1050 - 136 - 32UB - 9CL	136	32	186	x 49.45	x 8	473	x 125.53	x 20	23	2350 W
S1050 - 144 - 32UB - 9CL	144	32	197	x 49.45	x 8	499	x 125.53	x 20	24	2488 W
S1050 - 160 - 32UB - 9CL	160	32	218	x 49.45	x 8	553	x 125.53	x 20	27	2765 W
S1050 - 168 - 32UB - 9CL	168	32	228	x 49.45	x 8	579	x 125.53	x 20	28	2903 W
S1050 - 176 - 32UB - 9CL	176	32	239	x 49.45	x 8	606	x 125.53	x 20	29	3041 W
S1050 - 184 - 32UB - 9CL	184	32	249	x 49.45	x 8	633	x 125.53	x 20	31	3180 W
S1050 - 196 - 32UB - 9CL	196	32	260	x 49.45	x 8	659	x 125.53	x 20	32	3318 W
S1050 - 200 - 32UB - 9CL	200	32	270	x 49.45	x 8	686	x 125.53	x 20	33	3456 W
S1050 - 208 - 32UB - 9CL	208	32	280	x 49.45	x 8	712	x 125.53	x 20	35	3594 W
S1050 - 216 - 32UB - 9CL	216	32	291	x 49.45	x 8	739	x 125.53	x 20	36	3732 W
S1050 - 224 - 32UB - 9CL	224	32	301	x 49.45	x 8	766	x 125.53	x 20	37	3871 W
S1050 - 232 - 32UB - 9CL	232	32	312	x 49.45	x 8	792	x 125.53	x 20	39	4002 W
S1050 - 240 - 32UB - 9CL	240	32	322	x 49.45	x 8	819	x 125.53	x 20	40	4147 W
S1050 - 248 - 32UB - 9CL	248	32	333	x 49.45	x 8	845	x 125.53	x 20	41	4285 W
S1050 - 256 - 32UB - 9CL	256	32	343	x 49.45	x 8	872	x 125.53	x 20	43	4424 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix  
Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)  
LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )  
LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 9 LED, ( 13 Available )

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™**

**OUTDOOR ULTRA-BRIGHT**

**SUPERSUN 1050-40UB-9CL**

**9 LED PER PIXEL**

**FULL MATRIX DISPLAYS**

**MULTI COLOR**





**FIVE LINES**

**9.25" (23cm) - 52.5" (133cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 40UB - 9CL	64	40	92 x 60 x 8	233 x 152.15 x 20	10	1382 W
S1050 - 72 - 40UB - 9CL	72	40	102 x 60 x 8	260 x 152.15 x 20	12	1555 W
S1050 - 80 - 40UB - 9CL	80	40	113 x 60 x 8	286 x 152.15 x 20	13	1728 W
S1050 - 88 - 40UB - 9CL	88	40	123 x 60 x 8	313 x 152.15 x 20	15	1901 W
S1050 - 96 - 40UB - 9CL	96	40	134 x 60 x 8	340 x 152.15 x 20	16	2074 W
S1050 - 104 - 40UB - 9CL	104	40	144 x 60 x 8	366 x 152.15 x 20	17	2246 W
S1050 - 112 - 40UB - 9CL	112	40	155 x 60 x 8	392 x 152.15 x 20	19	2419 W
S1050 - 120 - 40UB - 9CL	120	40	165 x 60 x 8	419 x 152.15 x 20	20	2592 W
S1050 - 128 - 40UB - 9CL	128	40	176 x 60 x 8	446 x 152.15 x 20	21	2765 W
S1050 - 136 - 40UB - 9CL	136	40	186 x 60 x 8	473 x 152.15 x 20	23	2938 W
S1050 - 144 - 40UB - 9CL	144	40	197 x 60 x 8	499 x 152.15 x 20	24	3110 W
S1050 - 160 - 40UB - 9CL	160	40	218 x 60 x 8	553 x 152.15 x 20	27	3456 W
S1050 - 168 - 40UB - 9CL	168	40	228 x 60 x 8	579 x 152.15 x 20	28	3629 W
S1050 - 176 - 40UB - 9CL	176	40	239 x 60 x 8	606 x 152.15 x 20	29	3802 W
S1050 - 184 - 40UB - 9CL	184	40	249 x 60 x 8	633 x 152.15 x 20	31	3974 W
S1050 - 196 - 40UB - 9CL	196	40	260 x 60 x 8	659 x 152.15 x 20	32	4147 W
S1050 - 200 - 40UB - 9CL	200	40	270 x 60 x 8	686 x 152.15 x 20	33	4320 W
S1050 - 208 - 40UB - 9CL	208	40	280 x 60 x 8	712 x 152.15 x 20	35	4493 W
S1050 - 216 - 40UB - 9CL	216	40	291 x 60 x 8	739 x 152.15 x 20	36	4666 W
S1050 - 224 - 40UB - 9CL	224	40	301 x 60 x 8	766 x 152.15 x 20	37	4838 W
S1050 - 232 - 40UB - 9CL	232	40	312 x 60 x 8	792 x 152.15 x 20	39	5011 W
S1050 - 240 - 40UB - 9CL	240	40	322 x 60 x 8	819 x 152.15 x 20	40	5184 W
S1050 - 248 - 40UB - 9CL	248	40	333 x 60 x 8	845 x 152.15 x 20	41	5357 W
S1050 - 256 - 40UB - 9CL	256	40	343 x 60 x 8	872 x 152.15 x 20	43	5530 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 9 LED, ( 13 Available )

**All signs have built-in controllers**


**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™** **OUTDOOR ULTRA-BRIGHT**



**SUPERSUN 1050-48UB-9CL**

**9 LED PER PIXEL**

FULL MATRIX DISPLAYS			MULTI COLOR 			
SIX LINES		9.25" (23cm) - 63" (160cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S1050 - 64 - 48UB - 9CL	64	48	92 x 70.4 x 8	233 x 178.8 x 20	10	1659 W
S1050 - 72 - 48UB - 9CL	72	48	102 x 70.4 x 8	260 x 178.8 x 20	12	1866 W
S1050 - 80 - 48UB - 9CL	80	48	113 x 70.4 x 8	286 x 178.8 x 20	13	2074 W
S1050 - 88 - 48UB - 9CL	88	48	123 x 70.4 x 8	313 x 178.8 x 20	15	2281 W
S1050 - 96 - 48UB - 9CL	96	48	134 x 70.4 x 8	340 x 178.8 x 20	16	2488 W
S1050 - 104 - 48UB - 9CL	104	48	144 x 70.4 x 8	366 x 178.8 x 20	17	2696 W
S1050 - 112 - 48UB - 9CL	112	48	155 x 70.4 x 8	392 x 178.8 x 20	19	2903 W
S1050 - 120 - 48UB - 9CL	120	48	165 x 70.4 x 8	419 x 178.8 x 20	20	3110 W
S1050 - 128 - 48UB - 9CL	128	48	176 x 70.4 x 8	446 x 178.8 x 20	21	3318 W
S1050 - 136 - 48UB - 9CL	136	48	186 x 70.4 x 8	473 x 178.8 x 20	23	3525 W
S1050 - 144 - 48UB - 9CL	144	48	197 x 70.4 x 8	499 x 178.8 x 20	24	3732 W
S1050 - 160 - 48UB - 9CL	160	48	218 x 70.4 x 8	553 x 178.8 x 20	27	4147 W
S1050 - 168 - 48UB - 9CL	168	48	228 x 70.4 x 8	579 x 178.8 x 20	28	4355 W
S1050 - 176 - 48UB - 9CL	176	48	239 x 70.4 x 8	606 x 178.8 x 20	29	4562 W
S1050 - 184 - 48UB - 9CL	184	48	249 x 70.4 x 8	633 x 178.8 x 20	31	4769 W
S1050 - 196 - 48UB - 9CL	196	48	260 x 70.4 x 8	659 x 178.8 x 20	32	4977 W
S1050 - 200 - 48UB - 9CL	200	48	270 x 70.4 x 8	686 x 178.8 x 20	33	5184 W
S1050 - 208 - 48UB - 9CL	208	48	280 x 70.4 x 8	712 x 178.8 x 20	35	5391 W
S1050 - 216 - 48UB - 9CL	216	48	291 x 70.4 x 8	739 x 178.8 x 20	36	5599 W
S1050 - 224 - 48UB - 9CL	224	48	301 x 70.4 x 8	766 x 178.8 x 20	37	5806 W
S1050 - 232 - 48UB - 9CL	232	48	312 x 70.4 x 8	792 x 178.8 x 20	39	6013 W
S1050 - 240 - 48UB - 9CL	240	48	322 x 70.4 x 8	819 x 178.8 x 20	40	6221 W
S1050 - 248 - 48UB - 9CL	248	48	333 x 70.4 x 8	845 x 178.8 x 20	41	6428 W
S1050 - 256 - 48UB - 9CL	256	48	343 x 70.4 x 8	872 x 178.8 x 20	43	6636 W

**Pitch: 1.31" 3.33cm**

**Number of LED Per Pixel: 9 LED**



**SUPERSUN 1050CL LED TILE**

**LED Type:**

**Gamma accepts only the highest quality LED in the industry AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix Multi color LED 

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 10.5" x 10.5" ( 26.67cm. x 26.67cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 9 LED, ( 13 Available )

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**