


**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-7UB-7RL****7 LED PER PIXEL**

| FULL MATRIX DISPLAYS    |        |                               |                | SINGLE COLOR  |                        |                |
|-------------------------|--------|-------------------------------|----------------|--|------------------------|----------------|
| ONE LINE                |        | 12" (30.5cm) Character Height |                |  |                        |                |
| MODEL #                 | COLUNS | ROWS                          | SIZE (Inch)    | SIZE (Cm)  | # OF CHARACT. PER LINE | POWER CONSUMP. |
|                         |        |                               | L x H x D      | L x H x D  |                        |                |
| S1200 - 64 - 7UB - 7RL  | 64     | 7                             | 117 x 21.2 x 8 | 298 x 53.8 x 20  | 10                     | 188 W          |
| S1200 - 72 - 7UB - 7RL  | 72     | 7                             | 131 x 21.2 x 8 | 333 x 53.8 x 20  | 12                     | 212 W          |
| S1200 - 80 - 7UB - 7RL  | 80     | 7                             | 145 x 21.2 x 8 | 368 x 53.8 x 20  | 13                     | 235 W          |
| S1200 - 88 - 7UB - 7RL  | 88     | 7                             | 158 x 21.2 x 8 | 402 x 53.8 x 20  | 15                     | 259 W          |
| S1200 - 96 - 7UB - 7RL  | 96     | 7                             | 172 x 21.2 x 8 | 437 x 53.8 x 20  | 16                     | 282 W          |
| S1200 - 104 - 7UB - 7RL | 104    | 7                             | 186 x 21.2 x 8 | 472 x 53.8 x 20  | 17                     | 306 W          |
| S1200 - 112 - 7UB - 7RL | 112    | 7                             | 200 x 21.2 x 8 | 506 x 53.8 x 20  | 19                     | 329 W          |
| S1200 - 120 - 7UB - 7RL | 120    | 7                             | 213 x 21.2 x 8 | 541 x 53.8 x 20  | 20                     | 353 W          |
| S1200 - 128 - 7UB - 7RL | 128    | 7                             | 227 x 21.2 x 8 | 576 x 53.8 x 20  | 21                     | 376 W          |
| S1200 - 136 - 7UB - 7RL | 136    | 7                             | 241 x 21.2 x 8 | 611 x 53.8 x 20  | 23                     | 400 W          |
| S1200 - 144 - 7UB - 7RL | 144    | 7                             | 254 x 21.2 x 8 | 646 x 53.8 x 20  | 24                     | 423 W          |
| S1200 - 160 - 7UB - 7RL | 160    | 7                             | 282 x 21.2 x 8 | 715 x 53.8 x 20  | 27                     | 470 W          |
| S1200 - 168 - 7UB - 7RL | 168    | 7                             | 295 x 21.2 x 8 | 750 x 53.8 x 20  | 28                     | 494 W          |
| S1200 - 176 - 7UB - 7RL | 176    | 7                             | 309 x 21.2 x 8 | 785 x 53.8 x 20  | 29                     | 517 W          |
| S1200 - 184 - 7UB - 7RL | 184    | 7                             | 323 x 21.2 x 8 | 819 x 53.8 x 20  | 31                     | 541 W          |
| S1200 - 192 - 7UB - 7RL | 196    | 7                             | 336 x 21.2 x 8 | 854 x 53.8 x 20  | 32                     | 564 W          |
| S1200 - 200 - 7UB - 7RL | 200    | 7                             | 350 x 21.2 x 8 | 889 x 53.8 x 20  | 33                     | 588 W          |
| S1200 - 208 - 7UB - 7RL | 208    | 7                             | 364 x 21.2 x 8 | 923 x 53.8 x 20  | 35                     | 612 W          |
| S1200 - 216 - 7UB - 7RL | 216    | 7                             | 377 x 21.2 x 8 | 958 x 53.8 x 20  | 36                     | 635 W          |
| S1200 - 224 - 7UB - 7RL | 224    | 7                             | 391 x 21.2 x 8 | 993 x 53.8 x 20  | 37                     | 659 W          |
| S1200 - 232 - 7UB - 7RL | 232    | 7                             | 405 x 21.2 x 8 | 1028 x 53.8 x 20   | 39                     | 682 W          |
| S1200 - 240 - 7UB - 7RL | 240    | 7                             | 418 x 21.2 x 8 | 1063 x 53.8 x 20   | 40                     | 706 W          |
| S1200 - 248 - 7UB - 7RL | 248    | 7                             | 432 x 21.2 x 8 | 1097 x 53.8 x 20   | 41                     | 729 W          |
| S1200 - 256 - 7UB - 7RL | 256    | 7                             | 446 x 21.2 x 8 | 1132 x 53.8 x 20   | 43                     | 753 W          |

**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry****AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (  Green,  Yellow,  Blue,  White ) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)


LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )

LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 7 LED

**All signs have built-in controllers****Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-16UB-7RL****7 LED PER PIXEL**

| FULL MATRIX DISPLAYS    |        |  |                | SINGLE COLOR  |                        |                |
|-------------------------|--------|--|----------------|--|------------------------|----------------|
| TWO LINES               |        | 12" (30.5cm) - 27.5" (70cm) Character Height |                |  |                        |                |
| MODEL #                 | COLUNS | ROWS   | SIZE (Inch)    | SIZE (Cm)  | # OF CHARACT. PER LINE | POWER CONSUMP. |
|                         |        |  | L x H x D      | L x H x D  |                        |                |
| S1200 - 64 - 16UB - 7RL | 64     | 16   | 117 x 34.9 x 8 | 298 x 88.6 x 20  | 10                     | 430 W          |
| S1200 - 72 - 16UB - 7RL | 72     | 16   | 131 x 34.9 x 8 | 333 x 88.6 x 20  | 12                     | 484 W          |
| S1200 - 80 - 16UB - 7RL | 80     | 16   | 145 x 34.9 x 8 | 368 x 88.6 x 20  | 13                     | 538 W          |
| S1200 - 88 - 16UB - 7RL | 88     | 16   | 158 x 34.9 x 8 | 402 x 88.6 x 20  | 15                     | 591 W          |
| S1200 - 96 - 16UB - 7RL | 96     | 16   | 172 x 34.9 x 8 | 437 x 88.6 x 20  | 16                     | 645 W          |
| S1200 -104 - 16UB -7RL  | 104    | 16   | 186 x 34.9 x 8 | 472 x 88.6 x 20  | 17                     | 699 W          |
| S1200 -112 - 16UB -7RL  | 112    | 16   | 200 x 34.9 x 8 | 507 x 88.6 x 20  | 19                     | 753 W          |
| S1200 -120 - 16UB -7RL  | 120    | 16   | 213 x 34.9 x 8 | 541 x 88.6 x 20  | 20                     | 806 W          |
| S1200 -128 - 16UB -7RL  | 128    | 16   | 227 x 34.9 x 8 | 576 x 88.6 x 20  | 21                     | 860 W          |
| S1200 -136 - 16UB -7RL  | 136    | 16   | 241 x 34.9 x 8 | 611 x 88.6 x 20  | 23                     | 914 W          |
| S1200 -144 - 16UB -7RL  | 144    | 16   | 254 x 34.9 x 8 | 646 x 88.6 x 20  | 24                     | 968 W          |
| S1200 -160 - 16UB -7RL  | 160    | 16   | 282 x 34.9 x 8 | 715 x 88.6 x 20  | 27                     | 1075 W         |
| S1200 -168 - 16UB -7RL  | 168    | 16   | 295 x 34.9 x 8 | 750 x 88.6 x 20  | 28                     | 1129 W         |
| S1200 -176 - 16UB -7RL  | 176    | 16   | 309 x 34.9 x 8 | 785 x 88.6 x 20  | 29                     | 1183 W         |
| S1200 -184 - 16UB -7RL  | 184    | 16   | 323 x 34.9 x 8 | 819 x 88.6 x 20  | 31                     | 1236 W         |
| S1200 -192 - 16UB -7RL  | 196    | 16   | 336 x 34.9 x 8 | 854 x 88.6 x 20  | 32                     | 1290 W         |
| S1200 -200 - 16UB -7RL  | 200    | 16   | 350 x 34.9 x 8 | 889 x 88.6 x 20  | 33                     | 1344 W         |
| S1200 -208 - 16UB -7RL  | 208    | 16   | 364 x 34.9 x 8 | 924 x 88.6 x 20  | 35                     | 1398 W         |
| S1200 -216 - 16UB -7RL  | 216    | 16   | 377 x 34.9 x 8 | 958 x 88.6 x 20  | 36                     | 1452 W         |
| S1200 -224 - 16UB -7RL  | 224    | 16   | 391 x 34.9 x 8 | 993 x 88.6 x 20  | 37                     | 1505 W         |
| S1200 -232 - 16UB -7RL  | 232    | 16   | 405 x 34.9 x 8 | 1028 x 88.6 x 20   | 39                     | 1559 W         |
| S1200 -240 - 16UB -7RL  | 240    | 16   | 418 x 34.9 x 8 | 1063 x 88.6 x 20   | 40                     | 1613 W         |
| S1200 -248 - 16UB -7RL  | 248    | 16   | 432 x 34.9 x 8 | 1097 x 88.6 x 20   | 41                     | 1667 W         |
| S1200 -256 - 16UB -7RL  | 256    | 16   | 446 x 34.9 x 8 | 1132 x 88.6 x 20   | 43                     | 1720 W         |


**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix  
Different color LED (  Green,  Yellow,  Blue,  White ) available  
Full matrix displays: Text, Graphics, Animation and (Video, Option)  
LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )  
LED MATRIX PER TILE: 8 x 8 Pixel

**LED PER PIXEL: 7 LED****All signs have built-in controllers****Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-24UB-7RL****7 LED PER PIXEL**

| FULL MATRIX DISPLAYS     |        |   |                | SINGLE COLOR  |                        |                |
|--------------------------|--------|---|----------------|--|------------------------|----------------|
| THREE LINES              |        | 12" (30.5cm) - 41" (104cm) Character Height |                |  |                        |                |
| MODEL #                  | COLUNS | ROWS  | SIZE (Inch)    | SIZE (Cm)  | # OF CHARACT. PER LINE | POWER CONSUMP. |
|                          |        |   | L x H x D      | L x H x D  |                        |                |
| S1200 - 64 - 24UB - 7RL  | 64     | 24  | 117 x 48.5 x 8 | 298 x 123.3 x 20   | 10                     | 645 W          |
| S1200 - 72 - 24UB - 7RL  | 72     | 24  | 131 x 48.5 x 8 | 333 x 123.3 x 20   | 12                     | 726 W          |
| S1200 - 80 - 24UB - 7RL  | 80     | 24  | 145 x 48.5 x 8 | 368 x 123.3 x 20   | 13                     | 806 W          |
| S1200 - 88 - 24UB - 7RL  | 88     | 24  | 158 x 48.5 x 8 | 402 x 123.3 x 20   | 15                     | 887 W          |
| S1200 - 96 - 24UB - 7RL  | 96     | 24  | 172 x 48.5 x 8 | 437 x 123.3 x 20   | 16                     | 968 W          |
| S1200 - 104 - 24UB - 7RL | 104    | 24  | 186 x 48.5 x 8 | 472 x 123.3 x 20   | 17                     | 1048 W         |
| S1200 - 112 - 24UB - 7RL | 112    | 24  | 200 x 48.5 x 8 | 507 x 123.3 x 20   | 19                     | 1129 W         |
| S1200 - 120 - 24UB - 7RL | 120    | 24  | 213 x 48.5 x 8 | 541 x 123.3 x 20   | 20                     | 1210 W         |
| S1200 - 128 - 24UB - 7RL | 128    | 24  | 227 x 48.5 x 8 | 576 x 123.3 x 20   | 21                     | 1290 W         |
| S1200 - 136 - 24UB - 7RL | 136    | 24  | 241 x 48.5 x 8 | 611 x 123.3 x 20   | 23                     | 1371 W         |
| S1200 - 144 - 24UB - 7RL | 144    | 24  | 254 x 48.5 x 8 | 646 x 123.3 x 20   | 24                     | 1452 W         |
| S1200 - 160 - 24UB - 7RL | 160    | 24  | 282 x 48.5 x 8 | 715 x 123.3 x 20   | 27                     | 1613 W         |
| S1200 - 168 - 24UB - 7RL | 168    | 24  | 295 x 48.5 x 8 | 750 x 123.3 x 20   | 28                     | 1693 W         |
| S1200 - 176 - 24UB - 7RL | 176    | 24  | 309 x 48.5 x 8 | 785 x 123.3 x 20   | 29                     | 1774 W         |
| S1200 - 184 - 24UB - 7RL | 184    | 24  | 323 x 48.5 x 8 | 819 x 123.3 x 20   | 31                     | 1855 W         |
| S1200 - 196 - 24UB - 7RL | 196    | 24  | 336 x 48.5 x 8 | 854 x 123.3 x 20   | 32                     | 1935 W         |
| S1200 - 200 - 24UB - 7RL | 200    | 24  | 350 x 48.5 x 8 | 889 x 123.3 x 20   | 33                     | 2016 W         |
| S1200 - 208 - 24UB - 7RL | 208    | 24  | 364 x 48.5 x 8 | 924 x 123.3 x 20   | 35                     | 2097 W         |
| S1200 - 216 - 24UB - 7RL | 216    | 24  | 377 x 48.5 x 8 | 958 x 123.3 x 20   | 36                     | 2177 W         |
| S1200 - 224 - 24UB - 7RL | 224    | 24  | 391 x 48.5 x 8 | 993 x 123.3 x 20   | 37                     | 2258 W         |
| S1200 - 232 - 24UB - 7RL | 232    | 24  | 405 x 48.5 x 8 | 1028 x 123.3 x 20  | 39                     | 2339 W         |
| S1200 - 240 - 24UB - 7RL | 240    | 24  | 418 x 48.5 x 8 | 1063 x 123.3 x 20  | 40                     | 2419 W         |
| S1200 - 248 - 24UB - 7RL | 248    | 24  | 432 x 48.5 x 8 | 1097 x 123.3 x 20  | 41                     | 2500 W         |
| S1200 - 256 - 24UB - 7RL | 256    | 24  | 446 x 48.5 x 8 | 1132 x 123.3 x 20  | 43                     | 2580 W         |

**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:****Gamma accepts only the highest quality LED in the industry****AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (  Green,  Yellow,  Blue,  White ) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)


LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

**All signs have built-in controllers****Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-32UB-7RL****7 LED PER PIXEL**

| FULL MATRIX DISPLAYS     |        |   |                | SINGLE COLOR  |                        |                |
|--------------------------|--------|---|----------------|--|------------------------|----------------|
| FOUR LINES               |        | 12" (30.5cm) - 55" (140cm) Character Height |                |  |                        |                |
| MODEL #                  | COLUNS | ROWS  | SIZE (Inch)    | SIZE (Cm)  | # OF CHARACT. PER LINE | POWER CONSUMP. |
|                          |        |   | L x H x D      | L x H x D  |                        |                |
| S1200 - 64 - 32UB - 7RL  | 64     | 32  | 117 x 62.3 x 8 | 298 x 158.1 x 20   | 10                     | 860 W          |
| S1200 - 72 - 32UB - 7RL  | 72     | 32  | 131 x 62.3 x 8 | 333 x 158.1 x 20   | 12                     | 968 W          |
| S1200 - 80 - 32UB - 7RL  | 80     | 32  | 145 x 62.3 x 8 | 368 x 158.1 x 20   | 13                     | 1075 W         |
| S1200 - 88 - 32UB - 7RL  | 88     | 32  | 158 x 62.3 x 8 | 402 x 158.1 x 20   | 15                     | 1183 W         |
| S1200 - 96 - 32UB - 7RL  | 96     | 32  | 172 x 62.3 x 8 | 437 x 158.1 x 20   | 16                     | 1290 W         |
| S1200 - 104 - 32UB - 7RL | 104    | 32  | 186 x 62.3 x 8 | 472 x 158.1 x 20   | 17                     | 1398 W         |
| S1200 - 112 - 32UB - 7RL | 112    | 32  | 200 x 62.3 x 8 | 507 x 158.1 x 20   | 19                     | 1505 W         |
| S1200 - 120 - 32UB - 7RL | 120    | 32  | 213 x 62.3 x 8 | 541 x 158.1 x 20   | 20                     | 1613 W         |
| S1200 - 128 - 32UB - 7RL | 128    | 32  | 227 x 62.3 x 8 | 576 x 158.1 x 20   | 21                     | 1720 W         |
| S1200 - 136 - 32UB - 7RL | 136    | 32  | 241 x 62.3 x 8 | 611 x 158.1 x 20   | 23                     | 1828 W         |
| S1200 - 144 - 32UB - 7RL | 144    | 32  | 254 x 62.3 x 8 | 646 x 158.1 x 20   | 24                     | 1935 W         |
| S1200 - 160 - 32UB - 7RL | 160    | 32  | 282 x 62.3 x 8 | 715 x 158.1 x 20   | 27                     | 2150 W         |
| S1200 - 168 - 32UB - 7RL | 168    | 32  | 295 x 62.3 x 8 | 750 x 158.1 x 20   | 28                     | 2258 W         |
| S1200 - 176 - 32UB - 7RL | 176    | 32  | 309 x 62.3 x 8 | 785 x 158.1 x 20   | 29                     | 2365 W         |
| S1200 - 184 - 32UB - 7RL | 184    | 32  | 323 x 62.3 x 8 | 819 x 158.1 x 20   | 31                     | 2473 W         |
| S1200 - 196 - 32UB - 7RL | 196    | 32  | 336 x 62.3 x 8 | 854 x 158.1 x 20   | 32                     | 2580 W         |
| S1200 - 200 - 32UB - 7RL | 200    | 32  | 350 x 62.3 x 8 | 889 x 158.1 x 20   | 33                     | 2688 W         |
| S1200 - 208 - 32UB - 7RL | 208    | 32  | 364 x 62.3 x 8 | 924 x 158.1 x 20   | 35                     | 2796 W         |
| S1200 - 216 - 32UB - 7RL | 216    | 32  | 377 x 62.3 x 8 | 958 x 158.1 x 20   | 36                     | 2903 W         |
| S1200 - 224 - 32UB - 7RL | 224    | 32  | 391 x 62.3 x 8 | 993 x 158.1 x 20   | 37                     | 3011 W         |
| S1200 - 232 - 32UB - 7RL | 232    | 32  | 405 x 62.3 x 8 | 1028 x 158.1 x 20  | 39                     | 3118 W         |
| S1200 - 240 - 32UB - 7RL | 240    | 32  | 418 x 62.3 x 8 | 1063 x 158.1 x 20  | 40                     | 3226 W         |
| S1200 - 248 - 32UB - 7RL | 248    | 32  | 432 x 62.3 x 8 | 1097 x 158.1 x 20  | 41                     | 3333 W         |
| S1200 - 256 - 32UB - 7RL | 256    | 32  | 446 x 62.3 x 8 | 1132 x 158.1 x 20  | 43                     | 3441 W         |

**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (  Green,  Yellow,  Blue,  White ) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-40UB-7RL****7 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****FIVE LINES****12" (30.5cm) - 68" (174cm) Character Height**

| MODEL #                  | COLUNS | ROWS | SIZE (Inch)    | SIZE (Cm)         | # OF CHARACT. PER LINE | POWER CONSUMP. |
|--------------------------|--------|------|----------------|-------------------|------------------------|----------------|
|                          |        |      | L x H x D      | L x H x D         |                        |                |
| S1200 - 64 - 40UB - 4RL  | 64     | 40   | 117 x 75.9 x 8 | 298 x 192.8 x 20  | 10                     | 1075 W         |
| S1200 - 72 - 40UB - 4RL  | 72     | 40   | 131 x 75.9 x 8 | 333 x 192.8 x 20  | 12                     | 1210 W         |
| S1200 - 80 - 40UB - 4RL  | 80     | 40   | 145 x 75.9 x 8 | 368 x 192.8 x 20  | 13                     | 1344 W         |
| S1200 - 88 - 40UB - 4RL  | 88     | 40   | 158 x 75.9 x 8 | 402 x 192.8 x 20  | 15                     | 1478 W         |
| S1200 - 96 - 40UB - 4RL  | 96     | 40   | 172 x 75.9 x 8 | 437 x 192.8 x 20  | 16                     | 1613 W         |
| S1200 - 104 - 40UB - 4RL | 104    | 40   | 186 x 75.9 x 8 | 472 x 192.8 x 20  | 17                     | 1747 W         |
| S1200 - 112 - 40UB - 4RL | 112    | 40   | 200 x 75.9 x 8 | 507 x 192.8 x 20  | 19                     | 1882 W         |
| S1200 - 120 - 40UB - 4RL | 120    | 40   | 213 x 75.9 x 8 | 541 x 192.8 x 20  | 20                     | 2016 W         |
| S1200 - 128 - 40UB - 4RL | 128    | 40   | 227 x 75.9 x 8 | 576 x 192.8 x 20  | 21                     | 2150 W         |
| S1200 - 136 - 40UB - 4RL | 136    | 40   | 241 x 75.9 x 8 | 611 x 192.8 x 20  | 23                     | 2285 W         |
| S1200 - 144 - 40UB - 4RL | 144    | 40   | 254 x 75.9 x 8 | 646 x 192.8 x 20  | 24                     | 2419 W         |
| S1200 - 160 - 40UB - 4RL | 160    | 40   | 282 x 75.9 x 8 | 715 x 192.8 x 20  | 27                     | 2688 W         |
| S1200 - 168 - 40UB - 4RL | 168    | 40   | 295 x 75.9 x 8 | 750 x 192.8 x 20  | 28                     | 2822 W         |
| S1200 - 176 - 40UB - 4RL | 176    | 40   | 309 x 75.9 x 8 | 785 x 192.8 x 20  | 29                     | 2957 W         |
| S1200 - 184 - 40UB - 4RL | 184    | 40   | 323 x 75.9 x 8 | 819 x 192.8 x 20  | 31                     | 3091 W         |
| S1200 - 196 - 40UB - 4RL | 196    | 40   | 336 x 75.9 x 8 | 854 x 192.8 x 20  | 32                     | 3226 W         |
| S1200 - 200 - 40UB - 4RL | 200    | 40   | 350 x 75.9 x 8 | 889 x 192.8 x 20  | 33                     | 3360 W         |
| S1200 - 208 - 40UB - 4RL | 208    | 40   | 364 x 75.9 x 8 | 924 x 192.8 x 20  | 35                     | 3494 W         |
| S1200 - 216 - 40UB - 4RL | 216    | 40   | 377 x 75.9 x 8 | 958 x 192.8 x 20  | 36                     | 3629 W         |
| S1200 - 224 - 40UB - 4RL | 224    | 40   | 391 x 75.9 x 8 | 993 x 192.8 x 20  | 37                     | 3763 W         |
| S1200 - 232 - 40UB - 4RL | 232    | 40   | 405 x 75.9 x 8 | 1028 x 192.8 x 20 | 39                     | 3898 W         |
| S1200 - 240 - 40UB - 4RL | 240    | 40   | 418 x 75.9 x 8 | 1063 x 192.8 x 20 | 40                     | 4032 W         |
| S1200 - 248 - 40UB - 4RL | 248    | 40   | 432 x 75.9 x 8 | 1097 x 192.8 x 20 | 41                     | 4166 W         |
| S1200 - 256 - 40UB - 4RL | 256    | 40   | 446 x 75.9 x 8 | 1132 x 192.8 x 20 | 43                     | 4301 W         |

**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry  
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( ● Green, ● Yellow, ● Blue, ○ White ) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )

LED MATRIX PER TILE: 8 x 8 Pixel


LED PER PIXEL: 7 LED

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**

**SUPERSUN™****OUTDOOR ULTRA-BRIGHT****SUPERSUN 1200-48UB-7RL****7 LED PER PIXEL**

| FULL MATRIX DISPLAYS     |        |   |                | SINGLE COLOR  |                        |                |
|--------------------------|--------|---|----------------|--|------------------------|----------------|
| SIX LINES                |        | 12" (30.5cm) - 82" (208cm) Character Height |                |  |                        |                |
| MODEL #                  | COLUNS | ROWS  | SIZE (Inch)    | SIZE (Cm)  | # OF CHARACT. PER LINE | POWER CONSUMP. |
|                          |        |   | L x H x D      | L x H x D  |                        |                |
| S1200 - 64 - 48UB - 7RL  | 64     | 48  | 117 x 89.6 x 8 | 298 x 227.5 x 20   | 10                     | 1290 W         |
| S1200 - 72 - 48UB - 7RL  | 72     | 48  | 131 x 89.6 x 8 | 333 x 227.5 x 20   | 12                     | 1452 W         |
| S1200 - 80 - 48UB - 7RL  | 80     | 48  | 145 x 89.6 x 8 | 368 x 227.5 x 20   | 13                     | 1613 W         |
| S1200 - 88 - 48UB - 7RL  | 88     | 48  | 158 x 89.6 x 8 | 402 x 227.5 x 20   | 15                     | 1774 W         |
| S1200 - 96 - 48UB - 7RL  | 96     | 48  | 172 x 89.6 x 8 | 437 x 227.5 x 20   | 16                     | 1935 W         |
| S1200 - 104 - 48UB - 7RL | 104    | 48  | 186 x 89.6 x 8 | 472 x 227.5 x 20   | 17                     | 2097 W         |
| S1200 - 112 - 48UB - 7RL | 112    | 48  | 200 x 89.6 x 8 | 507 x 227.5 x 20   | 19                     | 2258 W         |
| S1200 - 120 - 48UB - 7RL | 120    | 48  | 213 x 89.6 x 8 | 541 x 227.5 x 20   | 20                     | 2419 W         |
| S1200 - 128 - 48UB - 7RL | 128    | 48  | 227 x 89.6 x 8 | 576 x 227.5 x 20   | 21                     | 2580 W         |
| S1200 - 136 - 48UB - 7RL | 136    | 48  | 241 x 89.6 x 8 | 611 x 227.5 x 20   | 23                     | 2742 W         |
| S1200 - 144 - 48UB - 7RL | 144    | 48  | 254 x 89.6 x 8 | 646 x 227.5 x 20   | 24                     | 2903 W         |
| S1200 - 160 - 48UB - 4RL | 160    | 48  | 282 x 89.6 x 8 | 715 x 227.5 x 20   | 27                     | 3226 W         |
| S1200 - 168 - 48UB - 7RL | 168    | 48  | 295 x 89.6 x 8 | 750 x 227.5 x 20   | 28                     | 3387 W         |
| S1200 - 176 - 48UB - 7RL | 176    | 48  | 309 x 89.6 x 8 | 785 x 227.5 x 20   | 29                     | 3548 W         |
| S1200 - 184 - 48UB - 7RL | 184    | 48  | 323 x 89.6 x 8 | 819 x 227.5 x 20   | 31                     | 3709 W         |
| S1200 - 196 - 48UB - 7RL | 196    | 48  | 336 x 89.6 x 8 | 854 x 227.5 x 20   | 32                     | 3871 W         |
| S1200 - 200 - 48UB - 7RL | 200    | 48  | 350 x 89.6 x 8 | 889 x 227.5 x 20   | 33                     | 4032 W         |
| S1200 - 208 - 48UB - 7RL | 208    | 48  | 364 x 89.6 x 8 | 924 x 227.5 x 20   | 35                     | 4193 W         |
| S1200 - 216 - 48UB - 7RL | 216    | 48  | 377 x 89.6 x 8 | 958 x 227.5 x 20   | 36                     | 4355 W         |
| S1200 - 224 - 48UB - 7RL | 224    | 48  | 391 x 89.6 x 8 | 993 x 227.5 x 20   | 37                     | 4516 W         |
| S1200 - 232 - 48UB - 7RL | 232    | 48  | 405 x 89.6 x 8 | 1028 x 227.5 x 20  | 39                     | 4677 W         |
| S1200 - 240 - 48UB - 7RL | 240    | 48  | 418 x 89.6 x 8 | 1063 x 227.5 x 20  | 40                     | 4838 W         |
| S1200 - 248 - 48UB - 7RL | 248    | 48  | 432 x 89.6 x 8 | 1097 x 227.5 x 20  | 41                     | 5000 W         |
| S1200 - 256 - 48UB - 7RL | 256    | 48  | 446 x 89.6 x 8 | 1132 x 227.5 x 20  | 43                     | 5161 W         |

**Pitch: 1.71" 4.34cm****Number of LED Per Pixel: 7 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry**  
**AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (  Green,  Yellow,  Blue,  White ) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 13.68" x 13.68" ( 50.8cm. x 50.8cm. )

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 7 LED

**All signs have built-in controllers**

**Front access: For easy installation and service**

**Programming: Pc Direct line, Modem, Wireless.**