


SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-7UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
ONE LINE			17.5" (44.5cm) Character Height			
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 7UB - 18RL	64	7	168 x 27.5 x 8	427 x 70 x 20	10	484 W
S2000 - 72 - 7UB - 18RL	72	7	188 x 27.5 x 8	478 x 70 x 20	12	544 W
S2000 - 80 - 7UB - 18RL	80	7	208 x 27.5 x 8	528 x 70 x 20	13	605 W
S2000 - 88 - 7UB - 18RL	88	7	228 x 27.5 x 8	579 x 70 x 20	15	665 W
S2000 - 96 - 7UB - 18RL	96	7	248 x 27.5 x 8	630 x 70 x 20	16	726 W
S2000- 104 - 7UB - 18RL	104	7	268 x 27.5 x 8	681 x 70 x 20	17	786 W
S2000 - 112 - 7UB - 18RL	112	7	288 x 27.5 x 8	732 x 70 x 20	19	847 W
S2000 - 120 - 7UB - 18RL	120	7	308 x 27.5 x 8	782 x 70 x 20	20	907 W
S2000 - 128 - 7UB - 18RL	128	7	328 x 27.5 x 8	833 x 70 x 20	21	968 W
S2000 - 136 - 7UB - 18RL	136	7	348 x 27.5 x 8	884 x 70 x 20	23	1028 W
S2000 - 144 - 7UB - 18RL	144	7	368 x 27.5 x 8	935 x 70 x 20	24	1089 W
S2000 - 160 - 7UB - 18RL	160	7	408 x 27.5 x 8	1036 x 70 x 20	27	1210 W
S2000 - 168 - 7UB - 18RL	168	7	428 x 27.5 x 8	1087 x 70 x 20	28	1270 W
S2000 - 176 - 7UB - 18RL	176	7	448 x 27.5 x 8	1138 x 70 x 20	29	1331 W
S2000 - 184 - 7UB - 18RL	184	7	468 x 27.5 x 8	1189 x 70 x 20	31	1391 W
S2000 - 196 - 7UB - 18RL	196	7	488 x 27.5 x 8	1240 x 70 x 20	32	1452 W
S2000 - 200 - 7UB - 18RL	200	7	508 x 27.5 x 8	1290 x 70 x 20	33	1512 W
S2000 - 208 - 7UB - 18RL	208	7	528 x 27.5 x 8	1341 x 70 x 20	35	1572 W
S2000 - 216 - 7UB - 18RL	216	7	548 x 27.5 x 8	1392 x 70 x 20	36	1633 W
S2000 - 224 - 7UB - 18RL	224	7	568 x 27.5 x 8	1443 x 70 x 20	37	1693 W
S2000 - 232 - 7UB - 18RL	232	7	588 x 27.5 x 8	1494 x 70 x 20	39	1754 W
S2000 - 240 - 7UB - 18RL	240	7	608 x 27.5 x 8	1544 x 70 x 20	40	1814 W
S2000 - 248 - 7UB - 18RL	248	7	628 x 27.5 x 8	1595 x 70 x 20	41	1875 W
S2000 - 256 - 7UB - 18RL	256	7	648 x 27.5 x 8	1646 x 70 x 20	43	1935 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 7 Pixel


LED PER PIXEL: 18 LED

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-16UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
TWO LINES		17.5" (44.5cm) - 40" (102cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 16UB - 18RL	64	16	168 x 47.5 x 8	427 x 120.7 x 20	10	1106 W
S2000 - 72 - 16UB - 18RL	72	16	188 x 47.5 x 8	478 x 120.7 x 20	12	1244 W
S2000 - 80 - 16UB - 18RL	80	16	208 x 47.5 x 8	528 x 120.7 x 20	13	1382 W
S2000 - 88 - 16UB - 18RL	88	16	228 x 47.5 x 8	579 x 120.7 x 20	15	1521 W
S2000 - 96 - 16UB - 18RL	96	16	248 x 47.5 x 8	630 x 120.7 x 20	16	1659 W
S2000 - 104 - 16UB - 18RL	104	16	268 x 47.5 x 8	681 x 120.7 x 20	17	1797 W
S2000 - 112 - 16UB - 18RL	112	16	288 x 47.5 x 8	732 x 120.7 x 20	19	1935 W
S2000 - 120 - 16UB - 18RL	120	16	308 x 47.5 x 8	782 x 120.7 x 20	20	2074 W
S2000 - 128 - 16UB - 18RL	128	16	328 x 47.5 x 8	833 x 120.7 x 20	21	2212 W
S2000 - 136 - 16UB - 18RL	136	16	348 x 47.5 x 8	884 x 120.7 x 20	23	2350 W
S2000 - 144 - 16UB - 18RL	144	16	368 x 47.5 x 8	935 x 120.7 x 20	24	2488 W
S2000 - 160 - 16UB - 18RL	160	16	408 x 47.5 x 8	1036 x 120.7 x 20	27	2765 W
S2000 - 168 - 16UB - 18RL	168	16	428 x 47.5 x 8	1087 x 120.7 x 20	28	2903 W
S2000 - 176 - 16UB - 18RL	176	16	448 x 47.5 x 8	1138 x 120.7 x 20	29	3041 W
S2000 - 184 - 16UB - 18RL	184	16	468 x 47.5 x 8	1189 x 120.7 x 20	31	3180 W
S2000 - 196 - 16UB - 18RL	196	16	488 x 47.5 x 8	1240 x 120.7 x 20	32	3318 W
S2000 - 200 - 16UB - 18RL	200	16	508 x 47.5 x 8	1290 x 120.7 x 20	33	3456 W
S2000 - 208 - 16UB - 18RL	208	16	528 x 47.5 x 8	1341 x 120.7 x 20	35	3594 W
S2000 - 216 - 16UB - 18RL	216	16	548 x 47.5 x 8	1392 x 120.7 x 20	36	3732 W
S2000 - 224 - 16UB - 18RL	224	16	568 x 47.5 x 8	1443 x 120.7 x 20	37	3871 W
S2000 - 232 - 16UB - 18RL	232	16	588 x 47.5 x 8	1494 x 120.7 x 20	39	4009 W
S2000 - 240 - 16UB - 18RL	240	16	608 x 47.5 x 8	1544 x 120.7 x 20	40	4147 W
S2000 - 248 - 16UB - 18RL	248	16	628 x 47.5 x 8	1595 x 120.7 x 20	41	4285 W
S2000 - 256 - 16UB - 18RL	256	16	648 x 47.5 x 8	1646 x 120.7 x 20	43	4424 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:**

Gamma accepts only the highest quality LED in the industry
AllnGaP For Longer Life and High Performance

Different sizes available. One line, Two lines, Multilines, and Full Matrix
 Different color LED ( Green,  Yellow,  Blue,  White) available
 Full matrix displays: Text, Graphics, Animation and (Video, Option)
 LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)
 LED MATRIX PER TILE: 8 x 8 Pixel
 LED PER PIXEL: 18 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-24UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR ●		
THREE LINES		17.5" (44.5cm) - 60" (152cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 24UB - 18RL	64	24	168 x 67.5 x 8	427 x 171.5 x 20	10	1659 W
S2000 - 72 - 24UB - 18RL	72	24	188 x 67.5 x 8	478 x 171.5 x 20	12	1866 W
S2000 - 80 - 24UB - 18RL	80	24	208 x 67.5 x 8	528 x 171.5 x 20	13	2074 W
S2000 - 88 - 24UB - 18RL	88	24	228 x 67.5 x 8	579 x 171.5 x 20	15	2281 W
S2000 - 96 - 24UB - 18RL	96	24	248 x 67.5 x 8	630 x 171.5 x 20	16	2488 W
S2000 - 104 - 24UB - 18RL	104	24	268 x 67.5 x 8	681 x 171.5 x 20	17	2696 W
S2000 - 112 - 24UB - 18RL	112	24	288 x 67.5 x 8	732 x 171.5 x 20	19	2903 W
S2000 - 120 - 24UB - 18RL	120	24	308 x 67.5 x 8	782 x 171.5 x 20	20	3110 W
S2000 - 128 - 24UB - 18RL	128	24	328 x 67.5 x 8	833 x 171.5 x 20	21	3318 W
S2000 - 136 - 24UB - 18RL	136	24	348 x 67.5 x 8	884 x 171.5 x 20	23	3525 W
S2000 - 144 - 24UB - 18RL	144	24	368 x 67.5 x 8	935 x 171.5 x 20	24	3732 W
S2000 - 160 - 24UB - 18RL	160	24	408 x 67.5 x 8	1036 x 171.5 x 20	27	4147 W
S2000 - 168 - 24UB - 18RL	168	24	428 x 67.5 x 8	1087 x 171.5 x 20	28	4355 W
S2000 - 176 - 24UB - 18RL	176	24	448 x 67.5 x 8	1138 x 171.5 x 20	29	4562 W
S2000 - 184 - 24UB - 18RL	184	24	468 x 67.5 x 8	1189 x 171.5 x 20	31	4769 W
S2000 - 196 - 24UB - 18RL	196	24	488 x 67.5 x 8	1240 x 171.5 x 20	32	4977 W
S2000 - 200 - 24UB - 18RL	200	24	508 x 67.5 x 8	1290 x 171.5 x 20	33	5184 W
S2000 - 208 - 24UB - 18RL	208	24	528 x 67.5 x 8	1341 x 171.5 x 20	35	5391 W
S2000 - 216 - 24UB - 18RL	216	24	548 x 67.5 x 8	1392 x 171.5 x 20	36	5599 W
S2000 - 224 - 24UB - 18RL	224	24	568 x 67.5 x 8	1443 x 171.5 x 20	37	5806 W
S2000 - 232 - 24UB - 18RL	232	24	588 x 67.5 x 8	1494 x 171.5 x 20	39	6013 W
S2000 - 240 - 24UB - 18RL	240	24	608 x 67.5 x 8	1544 x 171.5 x 20	40	6221 W
S2000 - 248 - 24UB - 18RL	248	24	628 x 67.5 x 8	1595 x 171.5 x 20	41	6428 W
S2000 - 256 - 24UB - 18RL	256	24	648 x 67.5 x 8	1646 x 171.5 x 20	43	6636 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:****Gamma accepts only the highest quality LED in the industry****AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)


LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 18 LED

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-32UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
FOUR LINES		17.5" (44.5cm) - 60" (152cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 32UB - 18RL	64	32	168 x 87.5 x 8	427 x 222.3 x 20	10	2212 W
S2000 - 72 - 32UB - 18RL	72	32	188 x 87.5 x 8	478 x 222.3 x 20	12	2488 W
S2000 - 80 - 32UB - 18RL	80	32	208 x 87.5 x 8	528 x 222.3 x 20	13	2765 W
S2000 - 88 - 32UB - 18RL	88	32	228 x 87.5 x 8	579 x 222.3 x 20	15	3041 W
S2000 - 96 - 32UB - 18RL	96	32	248 x 87.5 x 8	630 x 222.3 x 20	16	3318 W
S2000 - 104 - 32UB - 18RL	104	32	268 x 87.5 x 8	681 x 222.3 x 20	17	3594 W
S2000 - 112 - 32UB - 18RL	112	32	288 x 87.5 x 8	732 x 222.3 x 20	19	3871 W
S2000 - 120 - 32UB - 18RL	120	32	308 x 87.5 x 8	782 x 222.3 x 20	20	4147 W
S2000 - 128 - 32UB - 18RL	128	32	328 x 87.5 x 8	833 x 222.3 x 20	21	4424 W
S2000 - 136 - 32UB - 18RL	136	32	348 x 87.5 x 8	884 x 222.3 x 20	23	4700 W
S2000 - 144 - 32UB - 18RL	144	32	368 x 87.5 x 8	935 x 222.3 x 20	24	4977 W
S2000 - 160 - 32UB - 18RL	160	32	408 x 87.5 x 8	1036 x 222.3 x 20	27	5530 W
S2000 - 168 - 32UB - 18RL	168	32	428 x 87.5 x 8	1087 x 222.3 x 20	28	5806 W
S2000 - 176 - 32UB - 18RL	176	32	448 x 87.5 x 8	1138 x 222.3 x 20	29	6083 W
S2000 - 184 - 32UB - 18RL	184	32	468 x 87.5 x 8	1189 x 222.3 x 20	31	6359 W
S2000 - 196 - 32UB - 18RL	196	32	488 x 87.5 x 8	1240 x 222.3 x 20	32	6636 W
S2000 - 200 - 32UB - 18RL	200	32	508 x 87.5 x 8	1290 x 222.3 x 20	33	6912 W
S2000 - 208 - 32UB - 18RL	208	32	528 x 87.5 x 8	1341 x 222.3 x 20	35	7188 W
S2000 - 216 - 32UB - 18RL	216	32	548 x 87.5 x 8	1392 x 222.3 x 20	36	7465 W
S2000 - 224 - 32UB - 18RL	224	32	568 x 87.5 x 8	1443 x 222.3 x 20	37	7741 W
S2000 - 232 - 32UB - 18RL	232	32	588 x 87.5 x 8	1494 x 222.3 x 20	39	8018 W
S2000 - 240 - 32UB - 18RL	240	32	608 x 87.5 x 8	1544 x 222.3 x 20	40	8294 W
S2000 - 248 - 32UB - 18RL	248	32	628 x 87.5 x 8	1595 x 222.3 x 20	41	8571 W
S2000 - 256 - 32UB - 18RL	256	32	648 x 87.5 x 8	1646 x 222.3 x 20	43	8847 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel


LED PER PIXEL: 18 LED

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-40UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
FIVE LINES		17.5" (44cm) - 100" (254cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 40UB - 18RL	64	40	168 x 107.5 x 8	427 x 273 x 20	10	2765 W
S2000 - 72 - 40UB - 18RL	72	40	188 x 107.5 x 8	478 x 273 x 20	12	3110 W
S2000 - 80 - 40UB - 18RL	80	40	208 x 107.5 x 8	528 x 273 x 20	13	3456 W
S2000 - 88 - 40UB - 18RL	88	40	228 x 107.5 x 8	579 x 273 x 20	15	3802 W
S2000 - 96 - 40UB - 18RL	96	40	248 x 107.5 x 8	630 x 273 x 20	16	4147 W
S2000 - 104 - 40UB - 18RL	104	40	268 x 107.5 x 8	681 x 273 x 20	17	4493 W
S2000 - 112 - 40UB - 18RL	112	40	288 x 107.5 x 8	732 x 273 x 20	19	4838 W
S2000 - 120 - 40UB - 18RL	120	40	308 x 107.5 x 8	782 x 273 x 20	20	5184 W
S2000 - 128 - 40UB - 18RL	128	40	328 x 107.5 x 8	833 x 273 x 20	21	5530 W
S2000 - 136 - 40UB - 18RL	136	40	348 x 107.5 x 8	884 x 273 x 20	23	5875 W
S2000 - 144 - 40UB - 18RL	144	40	368 x 107.5 x 8	935 x 273 x 20	24	6221 W
S2000 - 160 - 40UB - 18RL	160	40	408 x 107.5 x 8	1036 x 273 x 20	27	6912 W
S2000 - 168 - 40UB - 18RL	168	40	428 x 107.5 x 8	1087 x 273 x 20	28	7258 W
S2000 - 176 - 40UB - 18RL	176	40	448 x 107.5 x 8	1138 x 273 x 20	29	7603 W
S2000 - 184 - 40UB - 18RL	184	40	468 x 107.5 x 8	1189 x 273 x 20	31	7949 W
S2000 - 196 - 40UB - 18RL	196	40	488 x 107.5 x 8	1240 x 273 x 20	32	8294 W
S2000 - 200 - 40UB - 18RL	200	40	508 x 107.5 x 8	1290 x 273 x 20	33	8640 W
S2000 - 208 - 40UB - 18RL	208	40	528 x 107.5 x 8	1341 x 273 x 20	35	8986 W
S2000 - 216 - 40UB - 18RL	216	40	548 x 107.5 x 8	1392 x 273 x 20	36	9331 W
S2000 - 224 - 40UB - 18RL	224	40	568 x 107.5 x 8	1443 x 273 x 20	37	9677 W
S2000 - 232 - 40UB - 18RL	232	40	588 x 107.5 x 8	1494 x 273 x 20	39	10022 W
S2000 - 240 - 40UB - 18RL	240	40	608 x 107.5 x 8	1544 x 273 x 20	40	10368 W
S2000 - 248 - 40UB - 18RL	248	40	628 x 107.5 x 8	1595 x 273 x 20	41	10714 W
S2000 - 256 - 40UB - 18RL	256	40	648 x 107.5 x 8	1646 x 273 x 20	43	11059 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel


LED PER PIXEL: 18 LED

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 2000-48UB-18RL****18 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
SIX LINES		17.5" (44.5cm) - 120" (305cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S2000 - 64 - 48UB - 18RL	64	48	168 x 127.5 x 8	427 x 323.9 x 20	10	3318 W
S2000 - 72 - 48UB - 18RL	72	48	188 x 127.5 x 8	478 x 323.9 x 20	12	3732 W
S2000 - 80 - 48UB - 18RL	80	48	208 x 127.5 x 8	528 x 323.9 x 20	13	4147 W
S2000 - 88 - 48UB - 18RL	88	48	228 x 127.5 x 8	579 x 323.9 x 20	15	4562 W
S2000 - 96 - 48UB - 18RL	96	48	248 x 127.5 x 8	630 x 323.9 x 20	16	4977 W
S2000 - 104 - 48UB - 18RL	104	48	268 x 127.5 x 8	681 x 323.9 x 20	17	5391 W
S2000 - 112 - 48UB - 18RL	112	48	288 x 127.5 x 8	732 x 323.9 x 20	19	5806 W
S2000 - 120 - 48UB - 18RL	120	48	308 x 127.5 x 8	782 x 323.9 x 20	20	6221 W
S2000 - 128 - 48UB - 18RL	128	48	328 x 127.5 x 8	833 x 323.9 x 20	21	6636 W
S2000 - 136 - 48UB - 18RL	136	48	348 x 127.5 x 8	884 x 323.9 x 20	23	7050 W
S2000 - 144 - 48UB - 18RL	144	48	368 x 127.5 x 8	935 x 323.9 x 20	24	7465 W
S2000 - 160 - 48UB - 18RL	160	48	408 x 127.5 x 8	1036 x 323.9 x 20	27	8294 W
S2000 - 168 - 48UB - 18RL	168	48	428 x 127.5 x 8	1087 x 323.9 x 20	28	8709 W
S2000 - 176 - 48UB - 18RL	176	48	448 x 127.5 x 8	1138 x 323.9 x 20	29	9124 W
S2000 - 184 - 48UB - 18RL	184	48	468 x 127.5 x 8	1189 x 323.9 x 20	31	9539 W
S2000 - 196 - 48UB - 18RL	196	48	488 x 127.5 x 8	1240 x 323.9 x 20	32	9953 W
S2000 - 200 - 48UB - 18RL	200	48	508 x 127.5 x 8	1290 x 323.9 x 20	33	10368 W
S2000 - 208 - 48UB - 18RL	208	48	528 x 127.5 x 8	1341 x 323.9 x 20	35	10783 W
S2000 - 216 - 48UB - 18RL	216	48	548 x 127.5 x 8	1392 x 323.9 x 20	36	11197 W
S2000 - 224 - 48UB - 18RL	224	48	568 x 127.5 x 8	1443 x 323.9 x 20	37	11612 W
S2000 - 232 - 48UB - 18RL	232	48	588 x 127.5 x 8	1494 x 323.9 x 20	39	12027 W
S2000 - 240 - 48UB - 18RL	240	48	608 x 127.5 x 8	1544 x 323.9 x 20	40	12442 W
S2000 - 248 - 48UB - 18RL	248	48	628 x 127.5 x 8	1595 x 323.9 x 20	41	12856 W
S2000 - 256 - 48UB - 18RL	256	48	648 x 127.5 x 8	1646 x 323.9 x 20	43	13271 W

Pitch: 2.5" 6.35cm**Number of LED Per Pixel: 18 LED****LED Type:**

Gamma accepts only the highest quality LED in the industry
AllnGaP For Longer Life and High Performance

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 20" x 20" (50.8cm. x 50.8cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 18 LED

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.