


SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-7UB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
ONE LINE		5.25" (13cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 7UB - 4RL	64	7	56 x 13.5 x 8	142 x 34.3 x 20	10	108 W
S600 - 72 - 7UB - 4RL	72	7	62 x 13.5 x 8	157 x 34.3 x 20	12	121 W
S600 - 80 - 7UB - 4RL	80	7	68 x 13.5 x 8	173 x 34.3 x 20	13	134 W
S600 - 88 - 7UB - 4RL	88	7	74 x 13.5 x 8	188 x 34.3 x 20	15	148 W
S600 - 96 - 7UB - 4RL	96	7	80 x 13.5 x 8	203 x 34.3 x 20	16	161 W
S600 - 104 - 7UB - 4RL	104	7	86 x 13.5 x 8	218 x 34.3 x 20	17	175 W
S600 - 112 - 7UB - 4RL	112	7	92 x 13.5 x 8	234 x 34.3 x 20	19	188 W
S600 - 120 - 7UB - 4RL	120	7	98 x 13.5 x 8	249 x 34.3 x 20	20	202 W
S600 - 128 - 7UB - 4RL	128	7	104 x 13.5 x 8	264 x 34.3 x 20	21	215 W
S600 - 136 - 7UB - 4RL	136	7	110 x 13.5 x 8	279 x 34.3 x 20	23	228 W
S600 - 144 - 7UB - 4RL	144	7	116 x 13.5 x 8	295 x 34.3 x 20	24	242 W
S600 - 160 - 7UB - 4RL	160	7	128 x 13.5 x 8	325 x 34.3 x 20	27	269 W
S600 - 168 - 7UB - 4RL	168	7	134 x 13.5 x 8	340 x 34.3 x 20	28	282 W
S600 - 176 - 7UB - 4RL	176	7	140 x 13.5 x 8	356 x 34.3 x 20	29	296 W
S600 - 184 - 7UB - 4RL	184	7	146 x 13.5 x 8	371 x 34.3 x 20	31	309 W
S600 - 196 - 7UB - 4RL	196	7	152 x 13.5 x 8	386 x 34.3 x 20	32	323 W
S600 - 200 - 7UB - 4RL	200	7	158 x 13.5 x 8	401 x 34.3 x 20	33	336 W
S600 - 208 - 7UB - 4RL	208	7	164 x 13.5 x 8	417 x 34.3 x 20	35	349 W
S600 - 216 - 7UB - 4RL	216	7	170 x 13.5 x 8	432 x 34.3 x 20	36	363 W
S600 - 224 - 7UB - 4RL	224	7	176 x 13.5 x 8	447 x 34.3 x 20	37	376 W
S600 - 232 - 7UB - 4RL	232	7	182 x 13.5 x 8	462 x 34.3 x 20	39	390 W
S600 - 240 - 7UB - 4RL	240	7	188 x 13.5 x 8	478 x 34.3 x 20	40	403 W
S600 - 248 - 7UB - 4RL	248	7	194 x 13.5 x 8	493 x 34.3 x 20	41	417 W
S600 - 256 - 7UB - 4RL	256	7	200 x 13.5 x 8	508 x 34.3 x 20	43	430 W

Pitch: 0.75" 1.91cm**Number of LED Per Pixel: 4 LED****LED Type:****Gamma accepts only the highest quality LED in the industry****AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)


LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)

LED MATRIX PER TILE: 8 x 7 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-16UB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
TWO LINES		5.25" (13cm) - 12" (30.5cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 16UB - 4RL	64	16	56 x 19.5 x 8	142 x 49.5 x 20	10	246 W
S600 - 72 - 16UB - 4RL	72	16	62 x 19.5 x 8	157 x 49.5 x 20	12	276 W
S600 - 80 - 16UB - 4RL	80	16	68 x 19.5 x 8	173 x 49.5 x 20	13	307 W
S600 - 88 - 16UB - 4RL	88	16	74 x 19.5 x 8	188 x 49.5 x 20	15	338 W
S600 - 96 - 16UB - 4RL	96	16	80 x 19.5 x 8	203 x 49.5 x 20	16	369 W
S600 - 104 - 16UB - 4RL	104	16	86 x 19.5 x 8	218 x 49.5 x 20	17	399 W
S600 - 112 - 16UB - 4RL	112	16	92 x 19.5 x 8	234 x 49.5 x 20	19	430 W
S600 - 120 - 16UB - 4RL	120	16	98 x 19.5 x 8	249 x 49.5 x 20	20	461 W
S600 - 128 - 16UB - 4RL	128	16	104 x 19.5 x 8	264 x 49.5 x 20	21	492 W
S600 - 136 - 16UB - 4RL	136	16	110 x 19.5 x 8	279 x 49.5 x 20	23	522 W
S600 - 144 - 16UB - 4RL	144	16	116 x 19.5 x 8	295 x 49.5 x 20	24	553 W
S600 - 160 - 16UB - 4RL	160	16	128 x 19.5 x 8	325 x 49.5 x 20	27	614 W
S600 - 168 - 16UB - 4RL	168	16	134 x 19.5 x 8	340 x 49.5 x 20	28	645 W
S600 - 176 - 16UB - 4RL	176	16	140 x 19.5 x 8	356 x 49.5 x 20	29	676 W
S600 - 184 - 16UB - 4RL	184	16	146 x 19.5 x 8	371 x 49.5 x 20	31	707 W
S600 - 196 - 16UB - 4RL	196	16	152 x 19.5 x 8	386 x 49.5 x 20	32	737 W
S600 - 200 - 16UB - 4RL	200	16	158 x 19.5 x 8	401 x 49.5 x 20	33	768 W
S600 - 208 - 16UB - 4RL	208	16	164 x 19.5 x 8	417 x 49.5 x 20	35	799 W
S600 - 216 - 16UB - 4RL	216	16	170 x 19.5 x 8	432 x 49.5 x 20	36	829 W
S600 - 224 - 16UB - 4RL	224	16	176 x 19.5 x 8	447 x 49.5 x 20	37	860 W
S600 - 232 - 16UB - 4RL	232	16	182 x 19.5 x 8	462 x 49.5 x 20	39	891 W
S600 - 240 - 16UB - 4RL	240	16	188 x 19.5 x 8	478 x 49.5 x 20	40	922 W
S600 - 248 - 16UB - 4RL	248	16	194 x 19.5 x 8	493 x 49.5 x 20	41	952 W
S600 - 256 - 16UB - 4RL	256	16	200 x 19.5 x 8	508 x 49.5 x 20	43	983 W

Pitch: 0.75" 1.91cm**Number of LED Per Pixel: 4 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED ( Green,  Yellow,  Blue,  White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)

LED MATRIX PER TILE: 8 x 8 Pixel


LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-24UB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS			SINGLE COLOR 			
THREE LINES			5.25" (13cm) - 18" (48cm) Character Height			
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 24UB - 4RL	64	24	56 x 25.5 x 8	142 x 64.8 x 20	10	369 W
S600 - 72 - 24UB - 4RL	72	24	62 x 25.5 x 8	157 x 64.8 x 20	12	415 W
S600 - 80 - 24UB - 4RL	80	24	68 x 25.5 x 8	173 x 64.8 x 20	13	461 W
S600 - 88 - 24UB - 4RL	88	24	74 x 25.5 x 8	188 x 64.8 x 20	15	507 W
S600 - 96 - 24UB - 4RL	96	24	80 x 25.5 x 8	203 x 64.8 x 20	16	553 W
S600 - 104 - 24UB - 4RL	104	24	86 x 25.5 x 8	218 x 64.8 x 20	17	599 W
S600 - 112 - 24UB - 4RL	112	24	92 x 25.5 x 8	234 x 64.8 x 20	19	645 W
S600 - 120 - 24UB - 4RL	120	24	98 x 25.5 x 8	249 x 64.8 x 20	20	691 W
S600 - 128 - 24UB - 4RL	128	24	104 x 25.5 x 8	264 x 64.8 x 20	21	737 W
S600 - 136 - 24UB - 4RL	136	24	110 x 25.5 x 8	279 x 64.8 x 20	23	783 W
S600 - 144 - 24UB - 4RL	144	24	116 x 25.5 x 8	295 x 64.8 x 20	24	829 W
S600 - 160 - 24UB - 4RL	160	24	128 x 25.5 x 8	325 x 64.8 x 20	27	922 W
S600 - 168 - 24UB - 4RL	168	24	134 x 25.5 x 8	340 x 64.8 x 20	28	968 W
S600 - 176 - 24UB - 4RL	176	24	140 x 25.5 x 8	356 x 64.8 x 20	29	1014 W
S600 - 184 - 24UB - 4RL	184	24	146 x 25.5 x 8	371 x 64.8 x 20	31	1060 W
S600 - 196 - 24UB - 4RL	196	24	152 x 25.5 x 8	386 x 64.8 x 20	32	1106 W
S600 - 200 - 24UB - 4RL	200	24	158 x 25.5 x 8	401 x 64.8 x 20	33	1152 W
S600 - 208 - 24UB - 4RL	208	24	164 x 25.5 x 8	417 x 64.8 x 20	35	1198 W
S600 - 216 - 24UB - 4RL	216	24	170 x 25.5 x 8	432 x 64.8 x 20	36	1244 W
S600 - 224 - 24UB - 4RL	224	24	176 x 25.5 x 8	447 x 64.8 x 20	37	1290 W
S600 - 232 - 24UB - 4RL	232	24	182 x 25.5 x 8	462 x 64.8 x 20	39	1336 W
S600 - 240 - 24UB - 4RL	240	24	188 x 25.5 x 8	478 x 64.8 x 20	40	1382 W
S600 - 248 - 24UB - 4RL	248	24	194 x 25.5 x 8	493 x 64.8 x 20	41	1428 W
S600 - 256 - 24UB - 4RL	256	24	200 x 25.5 x 8	508 x 64.8 x 20	43	1475 W


Pitch: 0.75" 1.91cm**Number of LED Per Pixel: 4 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
Different color LED ( Green,  Yellow,  Blue,  White) available
Full matrix displays: Text, Graphics, Animation and (Video, Option)
LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)
LED MATRIX PER TILE: 8 x 8 Pixel
LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers**Front access: For easy installation and service****Programming: Pc Direct line, Modem, Wireless.**

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-32UB-4RL****4 LED PER PIXEL**

FULL MATRIX DISPLAYS				SINGLE COLOR 		
FOUR LINES		5.25" (13cm) - 24" (61cm) Character Height				
MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 32UB - 4RL	64	32	56 x 31.5 x 8	142 x 80 x 20	10	492 W
S600 - 72 - 32UB - 4RL	72	32	62 x 31.5 x 8	157 x 80 x 20	12	553 W
S600 - 80 - 32UB - 4RL	80	32	68 x 31.5 x 8	173 x 80 x 20	13	614 W
S600 - 88 - 32UB - 4RL	88	32	74 x 31.5 x 8	188 x 80 x 20	15	676 W
S600 - 96 - 32UB - 4RL	96	32	80 x 31.5 x 8	203 x 80 x 20	16	737 W
S600 - 104 - 32UB - 4RL	104	32	86 x 31.5 x 8	218 x 80 x 20	17	799 W
S600 - 112 - 32UB - 4RL	112	32	92 x 31.5 x 8	234 x 80 x 20	19	860 W
S600 - 120 - 32UB - 4RL	120	32	98 x 31.5 x 8	249 x 80 x 20	20	922 W
S600 - 128 - 32UB - 4RL	128	32	104 x 31.5 x 8	264 x 80 x 20	21	983 W
S600 - 136 - 32UB - 4RL	136	32	110 x 31.5 x 8	279 x 80 x 20	23	1044 W
S600 - 144 - 32UB - 4RL	144	32	116 x 31.5 x 8	295 x 80 x 20	24	1106 W
S600 - 160 - 32UB - 4RL	160	32	128 x 31.5 x 8	325 x 80 x 20	27	1229 W
S600 - 168 - 32UB - 4RL	168	32	134 x 31.5 x 8	340 x 80 x 20	28	1290 W
S600 - 176 - 32UB - 4RL	176	32	140 x 31.5 x 8	356 x 80 x 20	29	1352 W
S600 - 184 - 32UB - 4RL	184	32	146 x 31.5 x 8	371 x 80 x 20	31	1413 W
S600 - 196 - 32UB - 4RL	196	32	152 x 31.5 x 8	386 x 80 x 20	32	1475 W
S600 - 200 - 32UB - 4RL	200	32	158 x 31.5 x 8	401 x 80 x 20	33	1536 W
S600 - 208 - 32UB - 4RL	208	32	164 x 31.5 x 8	417 x 80 x 20	35	1597 W
S600 - 216 - 32UB - 4RL	216	32	170 x 31.5 x 8	432 x 80 x 20	36	1659 W
S600 - 224 - 32UB - 4RL	224	32	176 x 31.5 x 8	447 x 80 x 20	37	1720 W
S600 - 232 - 32UB - 4RL	232	32	182 x 31.5 x 8	462 x 80 x 20	39	1782 W
S600 - 240 - 32UB - 4RL	240	32	188 x 31.5 x 8	478 x 80 x 20	40	1843 W
S600 - 248 - 32UB - 4RL	248	32	194 x 31.5 x 8	493 x 80 x 20	41	1905 W
S600 - 256 - 32UB - 4RL	256	32	200 x 31.5 x 8	508 x 80 x 20	43	1966 W

Pitch: 0.75" 1.91cm**Number of LED Per Pixel: 4 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix
Different color LED ( Green,  Yellow,  Blue,  White) available
Full matrix displays: Text, Graphics, Animation and (Video, Option)
LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)
LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-40UB-4RL****4 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****FIVE LINES****5.25" (13cm) - 30" (76cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 40UB - 4RL	64	40	56 x 37.5 x 8	142 x 95.3 x 20	10	614 W
S600 - 72 - 40UB - 4RL	72	40	62 x 37.5 x 8	157 x 95.3 x 20	12	691 W
S600 - 80 - 40UB - 4RL	80	40	68 x 37.5 x 8	173 x 95.3 x 20	13	768 W
S600 - 88 - 40UB - 4RL	88	40	74 x 37.5 x 8	188 x 95.3 x 20	15	845 W
S600 - 96 - 40UB - 4RL	96	40	80 x 37.5 x 8	203 x 95.3 x 20	16	922 W
S600 - 104 - 40UB - 4RL	104	40	86 x 37.5 x 8	218 x 95.3 x 20	17	998 W
S600 - 112 - 40UB - 4RL	112	40	92 x 37.5 x 8	234 x 95.3 x 20	19	1075 W
S600 - 120 - 40UB - 4RL	120	40	98 x 37.5 x 8	249 x 95.3 x 20	20	1152 W
S600 - 128 - 40UB - 4RL	128	40	104 x 37.5 x 8	264 x 95.3 x 20	21	1229 W
S600 - 136 - 40UB - 4RL	136	40	110 x 37.5 x 8	279 x 95.3 x 20	23	1306 W
S600 - 144 - 40UB - 4RL	144	40	116 x 37.5 x 8	295 x 95.3 x 20	24	1382 W
S600 - 160 - 40UB - 4RL	160	40	128 x 37.5 x 8	325 x 95.3 x 20	27	1536 W
S600 - 168 - 40UB - 4RL	168	40	134 x 37.5 x 8	340 x 95.3 x 20	28	1613 W
S600 - 176 - 40UB - 4RL	176	40	140 x 37.5 x 8	356 x 95.3 x 20	29	1690 W
S600 - 184 - 40UB - 4RL	184	40	146 x 37.5 x 8	371 x 95.3 x 20	31	1766 W
S600 - 196 - 40UB - 4RL	196	40	152 x 37.5 x 8	386 x 95.3 x 20	32	1843 W
S600 - 200 - 40UB - 4RL	200	40	158 x 37.5 x 8	401 x 95.3 x 20	33	1920 W
S600 - 208 - 40UB - 4RL	208	40	164 x 37.5 x 8	417 x 95.3 x 20	35	1997 W
S600 - 216 - 40UB - 4RL	216	40	170 x 37.5 x 8	432 x 95.3 x 20	36	2074 W
S600 - 224 - 40UB - 4RL	224	40	176 x 37.5 x 8	447 x 95.3 x 20	37	2150 W
S600 - 232 - 40UB - 4RL	232	40	182 x 37.5 x 8	462 x 95.3 x 20	39	2227 W
S600 - 240 - 40UB - 4RL	240	40	188 x 37.5 x 8	478 x 95.3 x 20	40	2304 W
S600 - 248 - 40UB - 4RL	248	40	194 x 37.5 x 8	493 x 95.3 x 20	41	2381 W
S600 - 256 - 40UB - 4RL	256	40	200 x 37.5 x 8	508 x 95.3 x 20	43	2458 W

Pitch: 0.75" 1.91cm**Number of LED Per Pixel: 4 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllnGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.

SUPERSUN™**OUTDOOR ULTRA-BRIGHT****SUPERSUN 600-48UB-4RL****4 LED PER PIXEL****FULL MATRIX DISPLAYS****SINGLE COLOR****SIX LINES****5.25" (13cm) - 36" (91.5cm) Character Height**

MODEL #	COLUNS	ROWS	SIZE (Inch)	SIZE (Cm)	# OF CHARACT. PER LINE	POWER CONSUMP.
			L x H x D	L x H x D		
S600 - 64 - 48UB - 4RL	64	48	56 x 43.5 x 8	142 x 110.5 x 20	10	737 W
S600 - 72 - 48UB - 4RL	72	48	62 x 43.5 x 8	157 x 110.5 x 20	12	829 W
S600 - 80 - 48UB - 4RL	80	48	68 x 43.5 x 8	173 x 110.5 x 20	13	922 W
S600 - 88 - 48UB - 4RL	88	48	74 x 43.5 x 8	188 x 110.5 x 20	15	1014 W
S600 - 96 - 48UB - 4RL	96	48	80 x 43.5 x 8	203 x 110.5 x 20	16	1106 W
S600 - 104 - 48UB - 4RL	104	48	86 x 43.5 x 8	218 x 110.5 x 20	17	1198 W
S600 - 112 - 48UB - 4RL	112	48	92 x 43.5 x 8	234 x 110.5 x 20	19	1290 W
S600 - 120 - 48UB - 4RL	120	48	98 x 43.5 x 8	249 x 110.5 x 20	20	1382 W
S600 - 128 - 48UB - 4RL	128	48	104 x 43.5 x 8	264 x 110.5 x 20	21	1475 W
S600 - 136 - 48UB - 4RL	136	48	110 x 43.5 x 8	279 x 110.5 x 20	23	1567 W
S600 - 144 - 48UB - 4RL	144	48	116 x 43.5 x 8	295 x 110.5 x 20	24	1659 W
S600 - 160 - 48UB - 4RL	160	48	128 x 43.5 x 8	325 x 110.5 x 20	27	1843 W
S600 - 168 - 48UB - 4RL	168	48	134 x 43.5 x 8	340 x 110.5 x 20	28	1935 W
S600 - 176 - 48UB - 4RL	176	48	140 x 43.5 x 8	356 x 110.5 x 20	29	2028 W
S600 - 184 - 48UB - 4RL	184	48	146 x 43.5 x 8	371 x 110.5 x 20	31	2120 W
S600 - 196 - 48UB - 4RL	196	48	152 x 43.5 x 8	386 x 110.5 x 20	32	2212 W
S600 - 200 - 48UB - 4RL	200	48	158 x 43.5 x 8	401 x 110.5 x 20	33	2304 W
S600 - 208 - 48UB - 4RL	208	48	164 x 43.5 x 8	417 x 110.5 x 20	35	2396 W
S600 - 216 - 48UB - 4RL	216	48	170 x 43.5 x 8	432 x 110.5 x 20	36	2488 W
S600 - 224 - 48UB - 4RL	224	48	176 x 43.5 x 8	447 x 110.5 x 20	37	2580 W
S600 - 232 - 48UB - 4RL	232	48	182 x 43.5 x 8	462 x 110.5 x 20	39	2673 W
S600 - 240 - 48UB - 4RL	240	48	188 x 43.5 x 8	478 x 110.5 x 20	40	2765 W
S600 - 248 - 48UB - 4RL	248	48	194 x 43.5 x 8	493 x 110.5 x 20	41	2857 W
S600 - 256 - 48UB - 4RL	256	48	200 x 43.5 x 8	508 x 110.5 x 20	43	2949 W

Pitch: 0.75" 3.33cm**Number of LED Per Pixel: 4 LED****LED Type:**

**Gamma accepts only the highest quality LED in the industry
AllInGaP For Longer Life and High Performance**

Different sizes available. One line, Two lines, Multilines, and Full Matrix

Different color LED (● Green, ● Yellow, ● Blue, ○ White) available

Full matrix displays: Text, Graphics, Animation and (Video, Option)

LED Tile Size: 6" x 6" (15.24cm. x 15.24cm.)

LED MATRIX PER TILE: 8 x 8 Pixel

LED PER PIXEL: 4 LED, (5, 8, 9, 13 Available)

All signs have built-in controllers

Front access: For easy installation and service

Programming: Pc Direct line, Modem, Wireless.